REMER S.R.L.

STOCKLIST MAY 2026

Stock Nr.	Code	DESCRIPTION	Diam. in mm	M/Reel	Surface	Lay direction	Tensile strenght	Lubrication
8149	A0500G107C2	**1x7**	**5**	**2000**	**B-galv**	**RH**	**1570 N/mm²**	**dry**
8179	A0500G107C2	**1x7**	**5**	**800**	**B-galv**	**RH**	**1570 N/mm²**	**dry**
7892	A0600G107C2	**1x7**	**6**	**4500**	**B-galv**	**RH**	**1570 N/mm²**	**dry**
7733	A0600G107C2	**1x7**	**6**	**790**	**B-galv**	**RH**	**1570 N/mm²**	**dry**
7734	A0600G107C2	**1x7**	**6**	**1480**	**B-galv**	**RH**	**1570 N/mm²**	**dry**
5181	A0660G107C2	**1x7**	**6,6**	**1350**	**B-galv**	**RH**	**1570 N/mm²**	**dry**
7581	A0700G107C2	**1x7**	**7**	**500**	**B-galv**	**RH**	**1570 N/mm²**	**dry**
6647	A0975G107B1	**1x7**	**9,75**	**300**	**B-galv**	**LH**	**1370 N/mm²**	**dry**
8190	M0600G119C2	**1x19**	**6**	**680**	**AISI 316**	**RH**	**1570 N/mm²**	**dry**
8140	A0900G119C1	**1x19**	**9**	**2.514**	**B-galv**	**LH**	**1570 N/mm²**	**dry**
8141	A0900G119C1	**1x19**	**9**	**590**	**B-galv**	**LH**	**1570 N/mm²**	**dry**
8142	A0900G119C1	**1x19**	**9**	**1.575**	**B-galv**	**LH**	**1570 N/mm²**	**dry**
8159	A0950G119C2	**1x19**	**9,5**	**1.100**	**B-galv**	**RH**	**1570 N/mm²**	**dry**
8161	A1000G119C2	**1x19**	**10**	**1.000**	**B-galv**	**RH**	**1570 N/mm²**	**dry**
8174	A1000G119C2	**1x19**	**10**	**1.000**	**B-galv**	**RH**	**1570 N/mm²**	**dry**

REMER S.R.L.

STOCKLIST MAY 2026

Stock Nr.	Code	DESCRIPTION	Diam. in mm	M/Reel	Surface	Lay direction	Tensile strenght	Lubrication
8181	A1100G119C2	**1x19**	**11**	**3000**	**B-galv**	**RH**	**1570 N/mm²**	**dry**
8163	A1100G119C2	**1x19**	**11**	**1600**	**B-galv**	**RH**	**1570 N/mm²**	**dry**
8115	A1275G119C2	**1x19**	**12,75**	**252**	**B-galv**	**RH**	**1570 N/mm²**	**dry**
8148	A1275G119C2	**1x19**	**12,75**	**1.050**	**B-galv**	**RH**	**1570 N/mm²**	**dry**
7688	A1400G119D2	**1x19**	**14**	**120**	**B-galv**	**RH**	**1770 N/mm²**	**dry**
6038	A1600G119C2	**1x19**	**16**	**300**	**B-galv**	**RH**	**1570 N/mm²**	**dry**
7698	A1600G119C2	**1x19**	**16**	**1.000**	**B-galv**	**RH**	**1570 N/mm²**	**dry**
7540	A0600G137D2	**1x37**	**6**	**900**	**B-galv**	**RH**	**1770 N/mm²**	**dry**
6039	A1600G137C2	**1x37**	**16**	**950**	**B-galv**	**RH**	**1570 N/mm²**	**dry**
7634	A1800G137C2	**1x37**	**18**	**450**	**B-galv**	**RH**	**1570 N/mm²**	**dry**
7663	A2200G137D2	**1x37**	**22**	**500**	**B-galv**	**RH**	**1770 N/mm²**	**dry**
8194	F030018A7EE	**19x7 ROTATION RESISTANT**	**3**	**10000**	**Ungalv**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
8160	F040018A7EE	**19x7 ROTATION RESISTANT**	**4**	**1190**	**B-galv**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**

REMER S.R.L.

STOCKLIST MAY 2026

Stock Nr.	Code	DESCRIPTION	Diam. in mm	M/Reel	Surface	Lay direction	Tensile strenght	Lubrication
8048	F050018A7EE	**19x7 ROTATION RESISTANT**	**5**	**485**	**B-galv**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
8162	F050018A7EE	**19x7 ROTATION RESISTANT**	**5**	**440**	**B-galv**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7847	A050018A7EF	**19x7 ROTATION RESISTANT**	**5**	**1190**	**B-galv**	**LHOL**	**1960 N/mm²**	**dry**
7846	A050018A7EF	**19x7 ROTATION RESISTANT**	**5**	**600**	**B-galv**	**LHOL**	**1960 N/mm²**	**dry**
8054	A050018A7EE	**19x7 ROTATION RESISTANT**	**5**	**3000**	**B-galv**	**RHOL**	**1960 N/mm²**	**dry**
8186	A060018A7EF	**19x7 ROTATION RESISTANT**	**6**	**1000**	**B-galv**	**LHOL**	**1960 N/mm²**	**core and strands black greased**
7913	B060018A7EE	**19x7 ROTATION RESISTANT**	**6**	**1690**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**dry**
7986	A070018A7EE	**19x7 ROTATION RESISTANT**	**7**	**650**	**B-galv**	**RHOL**	**1960 N/mm²**	**core and strands black greased**
7898	F070018A7EE	**19x7 ROTATION RESISTANT**	**7**	**450**	**B-galv**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7982	A070018A7EE	**19x7 ROTATION RESISTANT**	**7**	**360**	**B-galv**	**RHOL**	**1960 N/mm²**	**dry**
8132	B070018A7EE	**19x7 ROTATION RESISTANT**	**7**	**1500**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
8170	B070018A7EE	**19x7 ROTATION RESISTANT**	**7**	**600**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
8130	B070018A7EE	**19x7 ROTATION RESISTANT**	**7**	**2300**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7995	B080018A7EE	**19x7 ROTATION RESISTANT**	**8**	**1000**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7994	B080018A7EE	**19x7 ROTATION RESISTANT**	**8**	**2000**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7993	B080018A7EE	**19x7 ROTATION RESISTANT**	**8**	**2000**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7569	F080018A7FG	**19x7 ROTATION RESISTANT**	**8**	**230**	**B-galv**	**RHLL**	**2160 N/mm²**	**core and strands slightly lubricated**

REMER S.R.L.

STOCKLIST MAY 2026

Stock Nr.	Code	DESCRIPTION	Diam. in mm	M/Reel	Surface	Lay direction	Tensile strenght	Lubrication
8185	F080018A7FG	**19x7 ROTATION RESISTANT**	**8**	**2300**	**B-galv**	**RHLL**	**2160 N/mm²**	**core and strands slightly lubricated**
7881	F080018N7FG	**19xK7 ROTATION RESISTANT**	**8**	**160**	**B-galv**	**RHLL**	**2160 N/mm²**	**core and strands slightly lubricated**
8002	F080018N7FE	**19xK7 ROTATION RESISTANT**	**8**	**100**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
8003	F080018N7FE	**19xK7 ROTATION RESISTANT**	**8**	**70**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
8178	F090018N7FS	**19xK7 ROTATION RESISTANT**	**9**	**1.415**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
8177	F090018N7FS	**19xK7 ROTATION RESISTANT**	**9**	**1.165**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
8058	F090018N7FS	**19xK7 ROTATION RESISTANT**	**9**	**80**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
8060	F090018N7FS	**19xK7 ROTATION RESISTANT**	**9**	**110**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
7989	F090018N7FS	**19xK7 ROTATION RESISTANT**	**9**	**403**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
7860	F090018N7FS	**19xK7 ROTATION RESISTANT**	**9**	**240**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
8189	A100018A7EG	**19x7 ROTATION RESISTANT**	**10**	**400**	**B-galv**	**RHLL**	**1960 N/mm²**	**core and strands slightly lubricated**
7514	A100018A7EF	**19x7 ROTATION RESISTANT**	**10**	**310**	**B-galv**	**LHOL**	**1960 N/mm²**	**dry**
8117	F120018A7EE	**19x7 ROTATION RESISTANT**	**12**	**500**	**B-galv**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
6696	F140018A7FE	**19x7 ROTATION RESISTANT**	**14**	**35**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
7288	B140018A7EE	**19x7 ROTATION RESISTANT**	**14**	**3.990**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7289	B140018A7EE	**19x7 ROTATION RESISTANT**	**14**	**1.360**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7101	B140018A7EE	**19x7 ROTATION RESISTANT**	**14**	**220**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**

REMER S.R.L.

STOCKLIST MAY 2026

Stock Nr.	Code	DESCRIPTION	Diam. in mm	M/Reel	Surface	Lay direction	Tensile strenght	Lubrication
7756	A160018A7FE	**19x7 ROTATION RESISTANT**	**16**	**148**	**B-galv**	**RHOL**	**2160 N/mm²**	**dry**
6694	A220018N7FE	**19xK7 ROTATION RESISTANT**	**22**	**897**	**B-galv**	**RHOL**	**2160 N/mm²**	**dry**
7983	REMER357K	**35(W)xK7 NON ROTATING**	**7**	**150**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
8087	REMER357K	**35(W)xK7 NON ROTATING**	**7**	**673**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
8164	F120034C7FG	**35(W) x 7 NON ROTATING**	**12**	**2.220**	**B-galv**	**RHLL**	**2160 N/mm²**	**core and strands slightly lubricated**
8165	F120034C7FG	**35(W) x 7 NON ROTATING**	**12**	**1.012**	**B-galv**	**RHLL**	**2160 N/mm²**	**core and strands slightly lubricated**
7476	F120024C7FA	**24(W) x 7 + SFC NON ROTATING**	**12**	**135**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
7665	F130034C7FG	**35(W) x 7 NON ROTATING**	**13**	**57**	**B-galv**	**RHLL**	**2160 N/mm²**	**core and strands slightly lubricated**
7360	F130024C7FE	**24(W) x 7 NON ROTATING**	**13**	**445**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
7531	F140028C7FA	**28(W) x 7 NON ROTATING**	**14**	**925**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
5925	REMER357K	**35(W) x K7 NON ROTATING**	**15**	**100**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
7354	REMER357K	**35(W) x K7 NON ROTATING**	**19**	**500**	**B-galv**	**LHLL**	**2160 N/mm²**	**core and strands slightly lubricated**
6670	A200034C7FE	**35(W) x 7 NON ROTATING**	**20**	**750**	**B-galv**	**RHOL**	**2160 N/mm²**	**dry**

REMER S.R.L.

STOCKLIST MAY 2026

Stock Nr.	Code	DESCRIPTION	Diam. in mm	M/Reel	Surface	Lay direction	Tensile strenght	Lubrication
7872	A200034C7FE	**35(W) x 7 NON ROTATING**	**20**	**100**	**B-galv**	**RHOL**	**2160 N/mm²**	**dry**
6266	D230034C7FF	**35(W) x 7 NON ROTATING**	**23**	**95**	**Ungalv.**	**LHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
6822	B220019N9FE	**19x19 NON ROTATING**	**22**	**969**	**Ungalv.**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
7185	F0800R436FE	**4xK26WS+IWRC**	**8**	**235**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
6466	A0900E436EA	**4xK26WS + SFC**	**9**	**1.000**	**B-galv**	**RHOL**	**1960 N/mm²**	**dry**
7309	A0650O519EA	**5xK26WS+SFC**	**6,5**	**1050**	**B-galv**	**RHOL**	**1960 N/mm²**	**dry**
7702	A0800O519EA	**5xK26WS+SFC**	**8**	**2.300**	**B-galv**	**RHOL**	**1960 N/mm²**	**dry**
7827	A1400R526EA	**5xK26WS+SFC**	**14**	**1.010**	**B-galv**	**RHOL**	**1960 N/mm²**	**dry**
7010	G0800A606CA	**6x6+SFC**	**8**	**4.700**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**

REMER S.R.L.

STOCKLIST MAY 2026

Stock Nr.	Code	DESCRIPTION	Diam. in mm	M/Reel	Surface	Lay direction	Tensile strenght	Lubrication
6713	G0800A606CA	**6x6 + SFC**	**8**	**2.300**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
7014	G0800A606CA	**6x6 + SFC**	**8**	**700**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
6623	G0700A607CA	**6x7+SFC**	**7**	**150**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands slightly lubricated**
7305	G0900A607CA	**6x7+SFC**	**9**	**205**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
7517	G1000A607CA	**6x7 + SFC**	**10**	**350**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
8120	G1000A607CA	**6x7 + SFC**	**10**	**1.000**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
7300	G1100A607CA	**6x7 + SFC**	**11**	**140**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
7553	G1100A607CA	**6x7 + SFC**	**11**	**50**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
7818	G1100A607CA	**6x7 + SFC**	**11**	**450**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
8125	G1100A607CA	**6x7 + SFC**	**11**	**500**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
8136	G1200A607CA	**6x7 + SFC**	**12**	**540**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
7522	G1200A607CA	**6x7 + SFC**	**12**	**150**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
6159	B1200A607DC	**6x7 + SFC**	**12**	**1.450**	**Ungalv.**	**RHLL**	**1770 N/mm²**	**core and strands slightly lubricated**
7779	G1200A607CA	**6x7 + SFC**	**12**	**250**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
8137	G1200A607CA	**6x7 + SFC**	**12**	**500**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**

REMER S.R.L.

STOCKLIST MAY 2026

Stock Nr.	Code	DESCRIPTION	Diam. in mm	M/Reel	Surface	Lay direction	Tensile strenght	Lubrication
6521	G1200A607CA	**6x7 + SFC**	**12**	**150**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
6745	G1200A607CA	**6x7 + SFC**	**12**	**150**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
7213	G1200A607CA	**6x7 + SFC**	**12**	**260**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
5590	G1300A607CA	**6x7 + SFC**	**13**	**50**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
7554	G1300A607CA	**6x7 + SFC**	**13**	**130**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
6238	G1300A607CA	**6x7 + SFC**	**13**	**190**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
8124	G1300A607CA	**6x7 + SFC**	**13**	**500**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
7837	G1300A607CA	**6x7 + SFC**	**13**	**125**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
7775	G1400A607CA	**6x7 + SFC**	**14**	**350**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
7772	G1400A607CA	**6x7 + SFC**	**14**	**300**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
7766	G1500A607CA	**6x7 + SFC**	**15**	**170**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
8113	A0600A607DS	**6x7+WSC**	**6**	**2740**	**B-galv**	**RHOL**	**1770 N/mm²**	**dry**
8171	A0600A607DS	**6x7+WSC**	**6**	**3550**	**B-galv**	**RHOL**	**1960 N/mm²**	**dry**
7725	A0600A607DS	**6x7+WSC**	**6**	**700**	**B-galv**	**RHOL**	**1770 N/mm²**	**dry**
8155	A0600B619DA	**6x19S+SFC**	**6**	**610**	**B-galv**	**RHOL**	**1770 N/mm²**	**dry**

REMER S.R.L.

STOCKLIST MAY 2026

Stock Nr.	Code	DESCRIPTION	Diam. in mm	M/Reel	Surface	Lay direction	Tensile strenght	Lubrication
7821	F0650B619DA	**6x19S+SFC**	**6,5**	**370**	**B-galv**	**RHOL**	**1770 N/mm²**	**dry**
7803	B0800B619EA	**6x19S+SFC**	**8**	**250**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7747	B1000B619HA	**6x19S+SFC**	**10**	**280**	**Ungalv.**	**RHOL**	**1370/1770 N/mm²**	**core and strands slightly lubricated**
7745	B1000B619HB	**6x19S+SFC**	**10**	**500**	**Ungalv.**	**LHOL**	**1370/1770 N/mm²**	**core and strands slightly lubricated**
8154	B1100B619HA	**6x19S+SFC**	**11**	**300**	**Ungalv.**	**RHOL**	**1370/1770 N/mm²**	**core and strands slightly lubricated**
7157	B1200B619HA	**6x19S+SFC**	**12**	**500**	**Ungalv.**	**RHOL**	**1370/1770 N/mm²**	**core and strands slightly lubricated**
7472	G1600B619CA	**6x19S+SFC**	**16**	**60**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands black greased**
7712	F1600B619EA	**6x19S+SFC**	**16**	**160**	**B-galv**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7510	A1800B619DA	**6x19S+SFC**	**18**	**100**	**B-galv**	**RHOL**	**1770 N/mm²**	**dry**
7661	A0600A619EA	**6x19M+SFC**	**6**	**250**	**B-galv**	**RHOL**	**1960 N/mm²**	**dry**
7365	A1000A619DA	**6x19M+SFC**	**10**	**1.095**	**B-galv**	**RHOL**	**1770 N/mm²**	**dry**
7432	E1800A619CA	**6x19M+SFC**	**18**	**530**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands slightly lubricated**
6532	E1800A619CA	**6x19M+SFC**	**18**	**70**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands slightly lubricated**
6923	E2000A619CA	**6x19M+SFC**	**20**	**120**	**A-galv**	**RHOL**	**1570 N/mm²**	**core and strands slightly lubricated**
7680	A2000A619DA	**6x19M+SFC**	**20**	**360**	**B-galv**	**RHOL**	**1770 N/mm²**	**dry**

REMER S.R.L.

STOCKLIST MAY 2026

Stock Nr.	Code	DESCRIPTION	Diam. in mm	M/Reel	Surface	Lay direction	Tensile strenght	Lubrication
7721	F2200O619IA	**6xK19S+SFC**	**22**	**100**	**B-galv**	**RHOL**	**1570/1770 N/mm²**	**core and strands slightly lubricated**
7845	A1400H624EA	**6x24 + SFC**	**14**	**120**	**B-galv**	**RHOL**	**1960 N/mm²**	**dry**
7770	REMER619	**6x19S+IWRC**	**8**	**2.000**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7732	REMER619	**6x19S+IWRC**	**14**	**500**	**B-galv**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7711	REMER619	**6x19S+IWRC**	**16**	**500**	**B-galv**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
5434	REMER619	**6x19S+IWRC**	**34,93**	**83**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands black greased**
7900	A0700C619EE	**6x19W+IWRC**	**7**	**1377**	**B-galv**	**RHOL**	**1960 N/mm²**	**dry**
7659	A1000A619DS	**6x19M+IWRC**	**10**	**1.000**	**B-galv**	**RHOL**	**1770 N/mm²**	**dry**

REMER S.R.L.

STOCKLIST MAY 2026

Stock Nr.	Code	DESCRIPTION	Diam. in mm	M/Reel	Surface	Lay direction	Tensile strenght	Lubrication
5136	B1600D825DE	**6x25F + IWRC**	**16**	**100**	**Ungalv.**	**RHOL**	**1770 N/mm²**	**core and strands slightly lubricated**
6296	F2240D625DE	**6x25F + IWRC**	**22,4**	**350**	**B-galv**	**RHOL**	**1770 N/mm²**	**core and strands slightly lubricated**
7392	B2400D825EE	**6x25F + IWRC**	**24**	**500**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
6006	B2000D629DE	**6x29F + IWRC 1770 N/mm²**	**20**	**45**	**Ungalv.**	**RHOL**	**1770 N/mm²**	**core and strands slightly lubricated**
7263	F2200E631DA	**6x31WS+SFC**	**22**	**500**	**B-galv**	**RHOL**	**1770 N/mm²**	**core and strands slightly lubricated**
7532	F1800E631FE	**6x31WS + IWRC**	**18**	**350**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
7728	B2400E631EE	**6x31WS + IWRC**	**24**	**250**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7730	B2400E631EE	**6x31WS + IWRC**	**24**	**250**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7727	B2400E631EE	**6x31WS + IWRC**	**24**	**500**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7731	B2400E631EE	**6x31WS + IWRC**	**24**	**400**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7729	B2400E631EE	**6x31WS + IWRC**	**24**	**400**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
5190	D2600E631EE	**6x31WS + IWRC**	**26**	**80**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands black greased**

REMER S.R.L.

STOCKLIST MAY 2026

Stock Nr.	Code	DESCRIPTION	Diam. in mm	M/Reel	Surface	Lay direction	Tensile strenght	Lubrication
7428	F3200E636DB	**6x36WS+SFC**	**32**	**314**	**B-galv**	**LHOL**	**1770 N/mm²**	**core and strands slightly lubricated**
5521	B3200E636DA	**6x36WS+SFC**	**32**	**70**	**Ungalv.**	**RHOL**	**1770 N/mm²**	**core and strands slightly lubricated**
6116	B3200E636DB	**6x36WS+SFC**	**32**	**80**	**Ungalv.**	**LHOL**	**1770 N/mm²**	**core and strands slightly lubricated**
6983	B3400E636EB	**6x36WS+SFC**	**34**	**500**	**Ungalv.**	**LHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
6306	A3400E636EA	**6x36WS+SFC**	**34**	**170**	**B-galv**	**RHOL**	**1960 N/mm²**	**dry**
8045	F3600E636EB	**6x36WS+SFC**	**36**	**90**	**B-galv**	**LHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7656	REMER637	**6x36WS+IWRC**	**7**	**1690**	**B-galv**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7520	REMER637	**6x36WS+IWRC**	**11**	**585**	**Ungalv.**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
7519	REMER637	**6x36WS+IWRC**	**11**	**380**	**Ungalv.**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
8121	REMER637	**6x36WS+IWRC**	**14**	**2.500**	**B-galv**	**RHOL**	**1960 N/mm²**	**dry**
8122	REMER637	**6x36WS+IWRC**	**14**	**2.370**	**B-galv**	**RHOL**	**1960 N/mm²**	**dry**
8123	REMER637	**6x36WS+IWRC**	**14**	**2.500**	**B-galv**	**RHOL**	**1960 N/mm²**	**dry**
8184	REMER637	**6x36WS+IWRC**	**16**	**1.000**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**

REMER S.R.L.

STOCKLIST MAY 2026

Stock Nr.	Code	DESCRIPTION	Diam. in mm	M/Reel	Surface	Lay direction	Tensile strenght	Lubrication
8000	REMER637	**6x36WS+IWRC**	**16**	**42**	**B-galv**	**RHOL**	**2160 N/mm²**	**dry**
6964	REMER637	**6x36WS+IWRC**	**18**	**480**	**Ungalv.**	**RHOL**	**1770 N/mm²**	**core and strands slightly lubricated**
7411	REMER637	**6x36WS+IWRC**	**19**	**34**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
7543	REMER637	**6x36WS+IWRC**	**19**	**120**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
6548	REMER637	**6x36WS+IWRC**	**22**	**534**	**B-galv**	**LHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7672	REMER637	**6x36WS+IWRC**	**24**	**160**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7690	REMER637	**6x36WS+IWRC**	**24**	**395**	**B-galv**	**RHOL**	**2160 N/mm²**	**dry**
5596	REMER637	**6x36WS+IWRC**	**26**	**200**	**Ungalv.**	**LHOL**	**1960 N/mm²**	**dry**
8052	REMER637	**6x36WS+IWRC**	**32**	**130**	**B-galv**	**RHOL**	**2160 N/mm²**	**dry**
8051	REMER637	**6x36WS+IWRC**	**32**	**50**	**B-galv**	**RHOL**	**2160 N/mm²**	**dry**
8051	REMER637	**6x36WS+IWRC**	**32**	**200**	**B-galv**	**RHOL**	**2160 N/mm²**	**dry**
5414	REMER637	**6x36WS+IWRC**	**36**	**483**	**Ungalv.**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
7975	REMER637	**6x36WS+IWRC**	**38**	**80**	**B-galv**	**RHOL**	**1770 N/mm²**	**core and strands slightly lubricated**
8077	REMER637K	**6xK36WS+IWRC**	**19,05**	**1.750**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
5542	REMER637K	**6xK36WS+IWRC**	**21**	**25**	**Ungalv.**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**

REMER S.R.L.

STOCKLIST MAY 2026

Stock Nr.	Code	DESCRIPTION	Diam. in mm	M/Reel	Surface	Lay direction	Tensile strenght	Lubrication
8100	REMER637K	**6xK36WS+IWRC**	**25**	**220**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
8102	REMER637K	**6xK36WS+IWRC**	**25**	**340**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7312	F3200A637DA	**6x37M+SFC**	**32**	**100**	**B-galv**	**RHOL**	**1770 N/mm²**	**core and strands slightly lubricated**
7943	A0600A807EE	**8x7+IWRC**	**6**	**450**	**B-galv**	**RHOL**	**1960 N/mm²**	**dry**
8188	A0600A807EE	**8x7+IWRC**	**6**	**350**	**B-galv**	**RHOL**	**1960 N/mm²**	**dry**
8187	A0600A807EE	**8x7+IWRC**	**6**	**300**	**B-galv**	**RHOL**	**1960 N/mm²**	**dry**
8135	A0600A807EE	**8x7+IWRC**	**6**	**130**	**B-galv**	**RHOL**	**1960 N/mm²**	**dry**
8182	B0900B819HA	**8x19S+SFC**	**9**	**7.520**	**Ungalv.**	**RHOL**	**1370/1770 N/mm²**	**core and strands slightly lubricated**
8138	B0900B819HB	**8x19S+SFC**	**9**	**2.700**	**Ungalv.**	**LHOL**	**1370/1770 N/mm²**	**core and strands slightly lubricated**
7564	B1000B819HA	**8x19S+SFC**	**10**	**200**	**Ungalv.**	**RHOL**	**1370/1770 N/mm²**	**core and strands slightly lubricated**

REMER S.R.L.

STOCKLIST MAY 2026

Stock Nr.	Code	DESCRIPTION	Diam. in mm	M/Reel	Surface	Lay direction	Tensile strenght	Lubrication
8191	B1200B819HB	**8x19S+SFC**	**12**	**3.000**	**Ungalv.**	**RHOL**	**1370/1770 N/mm²**	**core and strands slightly lubricated**
8192	B1200B819HB	**8x19S+SFC**	**12**	**2.000**	**Ungalv.**	**RHOL**	**1370/1770 N/mm²**	**core and strands slightly lubricated**
7462	B1200B819HB	**8x19S+SFC**	**12**	**150**	**Ungalv.**	**LHOL**	**1370/1770 N/mm²**	**core and strands slightly lubricated**
6686	B1300B819HB	**8x19S+SFC**	**13**	**121**	**Ungalv.**	**LHOL**	**1370/1770 N/mm²**	**core and strands slightly lubricated**
8191	B1600B819HA	**8x19S+SFC**	**16**	**1.300**	**Ungalv.**	**RHOL**	**1370/1770 N/mm²**	**core and strands slightly lubricated**
8076	B1600B819HA	**8x19S+SFC**	**16**	**60**	**Ungalv.**	**RHOL**	**1370/1770 N/mm²**	**core and strands slightly lubricated**
7784	B1100B819EF	**8x19S + IWRC**	**11**	**180**	**Ungalv.**	**LHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7822	F0800O819FE	**8xK19S+IWRC**	**8**	**145**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
8069	F1000O819FL	**8xK19S + PWRC**	**10**	**1.500**	**B-galv**	**LHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
8068	F1000O819FL	**8xK19S+PWRC**	**10**	**930**	**B-galv**	**LHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
7957	F1000O819FL	**8xK19S+PWRC**	**10**	**1.805**	**B-galv**	**LHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
8034	A1100O819FL	**8xK19S+PWRC**	**11**	**380**	**B-galv**	**LHOL**	**2160 N/mm²**	**dry**

REMER S.R.L.

STOCKLIST MAY 2026

Stock Nr.	Code	DESCRIPTION	Diam. in mm	M/Reel	Surface	Lay direction	Tensile strenght	Lubrication
7434	B0800B819HZ	**8x25F+PWRC**	**8**	**620**	**Ungalv.**	**RHOL**	**1370/1770 N/mm²**	**core and strands slightly lubricated**
7168	B0800E826EE	**8x25F+PWRC**	**8**	**1430**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
7785	A1600D825FE	**8x25F+PWRC**	**16**	**136**	**B-galv**	**RHOL**	**2160 N/mm²**	**dry**
7523	B2200B825EE	**8x25F + IWRC**	**22**	**512**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
8021	F3200Q825EI	**8x25F+IWRC**	**32**	**220**	**B-galv**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
8126	F2600Q825FI	**8xK25F-PWRC**	**26**	**398**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
8153	F2600Q825FI	**8xK25F+PWRC**	**26**	**500**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
5086	A3000Q825F7	**8xK25F+IWRC**	**30**	**170**	**B-galv**	**RHLL**	**2160 N/mm²**	**core and strands slightly lubricated**
7893	A3000Q825F7	**8xK25F+IWRC**	**30**	**80**	**B-galv**	**RHLL**	**2160 N/mm²**	**core and strands slightly lubricated**
7376	F4600R826FO	**8x26WS + IWRC**	**46**	**930**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
8063	F2000R726FE	**8xK26 WS + IWRC**	**20**	**955**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
8064	F2000R726FE	**8xK26 WS + IWRC**	**20**	**35**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**

REMER S.R.L.

STOCKLIST MAY 2026

Stock Nr.	Code	DESCRIPTION	Diam. in mm	M/Reel	Surface	Lay direction	Tensile strenght	Lubrication
8065	REMER826KP	**8xK26WS+EPIWRC PLASTIFIED CORE**	**20**	**1.000**	**B-galv**	**LHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
7486	REMER826KP	**8xK26WS+EPIWRC PLASTIFIED CORE**	**20**	**60**	**Ungalv.**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
7398	REMER826KP	**8xK26WS+EPIWRC PLASTIFIED CORE**	**20**	**42**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
8127	REMER826KP	**8xK26WS+EPIWRC PLASTIFIED CORE**	**22**	**988**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
6728	REMER826KP	**8xK26WS+EPIWRC PLASTIFIED CORE**	**24**	**20**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
7786	REMER826KP	**8xK26WS+EPIWRC PLASTIFIED CORE**	**24**	**500**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
7396	REMER826KP	**8xK26WS+EPIWRC PLASTIFIED CORE**	**32**	**150**	**Ungalv.**	**LHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
8109	REMER826KP	**8xK26WS + EPIWRC PLASTIFIED CORE**	**32**	**270**	**Ungalv.**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
8108	REMER826KP	**8xK26WS + EPIWRC PLASTIFIED CORE**	**32**	**283**	**Ungalv.**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
8085	I3000R726EF	**8xK26 WS + IWRC**	**30**	**500**	**Ungalv.**	**LHOL**	**1960 N/mm²**	**dry**
8084	I3000R726EE	**8xK26 WS + IWRC**	**30**	**250**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**dry**
8083	I3000R726EE	**8xK26 WS + IWRC**	**30**	**220**	**Ungalv.**	**RHOL**	**1960 N/mm²**	**dry**
6237	F2400E831EE	**8x31WS + IWRC**	**24**	**60**	**B-galv**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**

REMER S.R.L.

STOCKLIST MAY 2026

Stock Nr.	Code	DESCRIPTION	Diam. in mm	M/Reel	Surface	Lay direction	Tensile strenght	Lubrication
7742	B2000E836EF	**8x36WS + IWRC**	**20**	**140**	**Ungalv.**	**LHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
8104	F2600E836EE	**8x36WS + IWRC**	**26**	**1.000**	**B-galv**	**RHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
5795	F3200E836EP	**8x36WS + IWRC**	**32**	**160**	**B-galv**	**LHOL**	**1960 N/mm²**	**core and strands slightly lubricated**
5045	B4800E936DO	**8x36WS-IWRC**	**48**	**29**	**Ungalv.**	**RHOL**	**1770 N/mm²**	**core and strands slightly lubricated**
7207	B4800E836DF	**8x36WS + IWRC**	**48**	**157**	**Ungalv.**	**LHOL**	**1770 N/mm²**	**core and strands slightly lubricated**
5035	B4800E936DF	**8x36WS-IWRC**	**48**	**15**	**Ungalv.**	**LHOL**	**1770 N/mm²**	**core and strands slightly lubricated**
7584	F3600R936FO	**9x36WS-IWRC**	**36**	**355**	**B-galv**	**RHOL**	**2160 N/mm²**	**core and strands slightly lubricated**
7007	A4500V607DA	**Cable laid rope SFC+6x[SFC+6x7]**	**45**	**115**	**B-galv**	**RHOL**	**1770 N/mm²**	**dry**