

STOCKLIST JULY 2026

<u>Stock Nr.</u>	<u>Code</u>	<u>DESCRIPTION</u>	<u>Diam.</u> <u>in mm</u>	<u>M/Reel</u>	<u>Surface</u>	<u>Lay</u> <u>direction</u>	<u>Tensile</u> <u>strenght</u>	<u>Lubrication</u>
8149	A0500G107C2	1x7	5	2000	B-galv	RH	1570 N/mm ²	dry
8179	A0500G107C2	1x7	5	2000	B-galv	RH	1570 N/mm ²	dry
7892	A0600G107C2	1x7	6	4500	B-galv	RH	1570 N/mm ²	dry
7733	A0600G107C2	1x7	6	790	B-galv	RH	1570 N/mm ²	dry
7734	A0600G107C2	1x7	6	1480	B-galv	RH	1570 N/mm ²	dry
5181	A0660G107C2	1x7	6,6	1350	B-galv	RH	1570 N/mm ²	dry
7581	A0700G107C2	1x7	7	500	B-galv	RH	1570 N/mm ²	dry
6647	A0975G107B1	1x7	9,75	300	B-galv	LH	1370 N/mm ²	dry
8190	M0600G119C2	1x19	6	680	AISI 316	RH	1570 N/mm ²	dry
8140	A0900G119C1	1x19	9	2.514	B-galv	LH	1570 N/mm ²	dry
8141	A0900G119C1	1x19	9	590	B-galv	LH	1570 N/mm ²	dry
8142	A0900G119C1	1x19	9	1.575	B-galv	LH	1570 N/mm ²	dry
8159	A0950G119C2	1x19	9,5	1.100	B-galv	RH	1570 N/mm ²	dry
8161	A1000G119C2	1x19	10	1.000	B-galv	RH	1570 N/mm ²	dry
8174	A1000G119C2	1x19	10	304	B-galv	RH	1570 N/mm ²	dry



STOCKLIST JULY 2026

<u>Stock Nr.</u>	<u>Code</u>	<u>DESCRIPTION</u>	<u>Diam. in mm</u>	<u>M/Reel</u>	<u>Surface</u>	<u>Lay direction</u>	<u>Tensile strenght</u>	<u>Lubrication</u>
8181	A1100G119C2	1x19	11	3000	B-galv	RH	1570 N/mm ²	dry
8163	A1100G119C2	1x19	11	1600	B-galv	RH	1570 N/mm ²	dry
8115	A1275G119C2	1x19	12,75	252	B-galv	RH	1570 N/mm ²	dry
8148	A1275G119C2	1x19	12,75	1.050	B-galv	RH	1570 N/mm ²	dry
7688	A1400G119D2	1x19	14	120	B-galv	RH	1770 N/mm ²	dry
6038	A1600G119C2	1x19	16	300	B-galv	RH	1570 N/mm ²	dry
7698	A1600G119C2	1x19	16	1.000	B-galv	RH	1570 N/mm ²	dry
7540	A0600G137D2	1x37	6	900	B-galv	RH	1770 N/mm ²	dry
6039	A1600G137C2	1x37	16	950	B-galv	RH	1570 N/mm ²	dry
7634	A1800G137C2	1x37	18	450	B-galv	RH	1570 N/mm ²	dry
7663	A2200G137D2	1x37	22	500	B-galv	RH	1770 N/mm ²	dry
8194	F030018A7EE	19x7 ROTATION RESISTANT	3	10000	Ungalv	RHOL	1960 N/mm ²	core and strands slightly lubricated
8160	F040018A7EE	19x7 ROTATION RESISTANT	4	1190	B-galv	RHOL	1960 N/mm ²	core and strands slightly lubricated



STOCKLIST JULY 2026

<u>Stock Nr.</u>	<u>Code</u>	<u>DESCRIPTION</u>	<u>Diam.</u> <u>in mm</u>	<u>M/Reel</u>	<u>Surface</u>	<u>Lay</u> <u>direction</u>	<u>Tensile</u> <u>strenght</u>	<u>Lubrication</u>
8048	F050018A7EE	19x7 ROTATION RESISTANT	5	485	B-galv	RHOL	1960 N/mm ²	core and strands slightly lubricated
8162	F050018A7EE	19x7 ROTATION RESISTANT	5	440	B-galv	RHOL	1960 N/mm ²	core and strands slightly lubricated
7847	A050018A7EF	19x7 ROTATION RESISTANT	5	1190	B-galv	LHOL	1960 N/mm ²	dry
7846	A050018A7EF	19x7 ROTATION RESISTANT	5	600	B-galv	LHOL	1960 N/mm ²	dry
8054	A050018A7EE	19x7 ROTATION RESISTANT	5	3000	B-galv	RHOL	1960 N/mm ²	dry
8186	A060018A7EF	19x7 ROTATION RESISTANT	6	1000	B-galv	LHOL	1960 N/mm ²	core and strands black greased
7913	B060018A7EE	19x7 ROTATION RESISTANT	6	1690	Ungalv.	RHOL	1960 N/mm ²	dry
7986	A070018A7EE	19x7 ROTATION RESISTANT	7	650	B-galv	RHOL	1960 N/mm ²	core and strands black greased
7898	F070018A7EE	19x7 ROTATION RESISTANT	7	450	B-galv	RHOL	1960 N/mm ²	core and strands slightly lubricated
8132	B070018A7EE	19x7 ROTATION RESISTANT	7	1500	Ungalv.	RHOL	1960 N/mm ²	core and strands slightly lubricated
8170	B070018A7EE	19x7 ROTATION RESISTANT	7	600	Ungalv.	RHOL	1960 N/mm ²	core and strands slightly lubricated
8130	B070018A7EE	19x7 ROTATION RESISTANT	7	2300	Ungalv.	RHOL	1960 N/mm ²	core and strands slightly lubricated
7995	B080018A7EE	19x7 ROTATION RESISTANT	8	1000	Ungalv.	RHOL	1960 N/mm ²	core and strands slightly lubricated
7994	B080018A7EE	19x7 ROTATION RESISTANT	8	2000	Ungalv.	RHOL	1960 N/mm ²	core and strands slightly lubricated
7993	B080018A7EE	19x7 ROTATION RESISTANT	8	2000	Ungalv.	RHOL	1960 N/mm ²	core and strands slightly lubricated
7569	F080018A7FG	19x7 ROTATION RESISTANT	8	230	B-galv	RHLL	2160 N/mm ²	core and strands slightly lubricated
8185	F080018A7FG	19x7 ROTATION RESISTANT	8	180	B-galv	RHLL	2160 N/mm ²	core and strands slightly lubricated



STOCKLIST JULY 2026

<u>Stock Nr.</u>	<u>Code</u>	<u>DESCRIPTION</u>	<u>Diam.</u> <u>in mm</u>	<u>M/Reel</u>	<u>Surface</u>	<u>Lay</u> <u>direction</u>	<u>Tensile</u> <u>strenght</u>	<u>Lubrication</u>
7881	F080018N7FG	19xK7 ROTATION RESISTANT	8	160	B-galv	RHLL	2160 N/mm ²	core and strands slightly lubricated
8002	F080018N7FE	19xK7 ROTATION RESISTANT	8	100	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
8003	F080018N7FE	19xK7 ROTATION RESISTANT	8	70	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
8178	F090018N7FS	19xK7 ROTATION RESISTANT	9	210	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
8177	F090018N7FS	19xK7 ROTATION RESISTANT	9	1.165	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
8058	F090018N7FS	19xK7 ROTATION RESISTANT	9	80	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
8060	F090018N7FS	19xK7 ROTATION RESISTANT	9	110	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
7989	F090018N7FS	19xK7 ROTATION RESISTANT	9	403	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
7860	F090018N7FS	19xK7 ROTATION RESISTANT	9	240	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
8189	A100018A7EG	19x7 ROTATION RESISTANT	10	250	B-galv	RHLL	1960 N/mm ²	core and strands slightly lubricated
7514	A100018A7EF	19x7 ROTATION RESISTANT	10	310	B-galv	LHOL	1960 N/mm ²	dry
8117	F120018A7EE	19x7 ROTATION RESISTANT	12	500	B-galv	RHOL	1960 N/mm ²	core and strands slightly lubricated
6696	F140018A7FE	19x7 ROTATION RESISTANT	14	35	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
7288	B140018A7EE	19x7 ROTATION RESISTANT	14	3.990	Ungalv.	RHOL	1960 N/mm ²	core and strands slightly lubricated
7289	B140018A7EE	19x7 ROTATION RESISTANT	14	1.360	Ungalv.	RHOL	1960 N/mm ²	core and strands slightly lubricated
7101	B140018A7EE	19x7 ROTATION RESISTANT	14	220	Ungalv.	RHOL	1960 N/mm ²	core and strands slightly lubricated
7756	A160018A7FE	19x7 ROTATION RESISTANT	16	148	B-galv	RHOL	2160 N/mm ²	dry



STOCKLIST JULY 2026

<u>Stock Nr.</u>	<u>Code</u>	<u>DESCRIPTION</u>	<u>Diam. in mm</u>	<u>M/Reel</u>	<u>Surface</u>	<u>Lay direction</u>	<u>Tensile strenght</u>	<u>Lubrication</u>
6694	A220018N7FE	19xK7 ROTATION RESISTANT	22	897	B-galv	RHOL	2160 N/mm ²	dry
7983	REMER357K	35(W)xK7 NON ROTATING	7	150	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
8087	REMER357K	35(W)xK7 NON ROTATING	7	673	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
8164	F120034C7FG	35(W) x 7 NON ROTATING	12	2.220	B-galv	RHLL	2160 N/mm ²	core and strands slightly lubricated
8165	F120034C7FG	35(W) x 7 NON ROTATING	12	1.012	B-galv	RHLL	2160 N/mm ²	core and strands slightly lubricated
7476	F120024C7FA	24(W) x 7 + SFC NON ROTATING	12	135	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
7665	F130034C7FG	35(W) x 7 NON ROTATING	13	57	B-galv	RHLL	2160 N/mm ²	core and strands slightly lubricated
7360	F130024C7FE	24(W) x 7 NON ROTATING	13	445	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
7531	F140028C7FA	28(W) x 7 NON ROTATING	14	925	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
5925	REMER357K	35(W) x K7 NON ROTATING	15	100	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
7354	REMER357K	35(W) x K7 NON ROTATING	19	500	B-galv	LHLL	2160 N/mm ²	core and strands slightly lubricated
6670	A200034C7FE	35(W) x 7 NON ROTATING	20	750	B-galv	RHOL	2160 N/mm ²	dry
7872	A200034C7FE	35(W) x 7 NON ROTATING	20	100	B-galv	RHOL	2160 N/mm ²	dry



STOCKLIST JULY 2026

<u>Stock Nr.</u>	<u>Code</u>	<u>DESCRIPTION</u>	<u>Diam. in mm</u>	<u>M/Reel</u>	<u>Surface</u>	<u>Lay direction</u>	<u>Tensile strenght</u>	<u>Lubrication</u>
6266	D230034C7FF	35(W) x 7 NON ROTATING	23	95	Ungalv.	LHOL	2160 N/mm ²	core and strands slightly lubricated
6266	F240034P7FG	35(W) x 7 NON ROTATING	24	380	B-galv	RHLL	200 N/mm ²	core and strands slightly lubricated
6822	B220019N9FE	19x19 NON ROTATING	22	969	Ungalv.	RHOL	2160 N/mm ²	core and strands slightly lubricated
7185	F0800R436FE	4xK26WS+IWRC	8	235	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
6466	A0900E436EA	4xK26WS + SFC	9	1.000	B-galv	RHOL	1960 N/mm ²	dry
7309	A0650O519EA	5xK26WS+SFC	6,5	1050	B-galv	RHOL	1960 N/mm ²	dry
7702	A0800O519EA	5xK26WS+SFC	8	2.300	B-galv	RHOL	1960 N/mm ²	dry
7827	A1400R526EA	5xK26WS+SFC	14	1.010	B-galv	RHOL	1960 N/mm ²	dry
7010	G0800A606CA	6x6+SFC	8	4.700	A-galv	RHOL	1570 N/mm ²	core and strands black greased



STOCKLIST JULY 2026

<u>Stock Nr.</u>	<u>Code</u>	<u>DESCRIPTION</u>	<u>Diam. in mm</u>	<u>M/Reel</u>	<u>Surface</u>	<u>Lay direction</u>	<u>Tensile strenght</u>	<u>Lubrication</u>
6713	G0800A606CA	6x6 + SFC	8	2.300	A-galv	RHOL	1570 N/mm ²	core and strands black greased
7014	G0800A606CA	6x6 + SFC	8	700	A-galv	RHOL	1570 N/mm ²	core and strands black greased
6623	G0700A607CA	6x7+SFC	7	150	A-galv	RHOL	1570 N/mm ²	core and strands slightly lubricated
7305	G0900A607CA	6x7+SFC	9	205	A-galv	RHOL	1570 N/mm ²	core and strands black greased
7517	G1000A607CA	6x7 + SFC	10	350	A-galv	RHOL	1570 N/mm ²	core and strands black greased
7300	G1100A607CA	6x7 + SFC	11	140	A-galv	RHOL	1570 N/mm ²	core and strands black greased
7553	G1100A607CA	6x7 + SFC	11	50	A-galv	RHOL	1570 N/mm ²	core and strands black greased
7818	G1100A607CA	6x7 + SFC	11	450	A-galv	RHOL	1570 N/mm ²	core and strands black greased
8125	G1100A607CA	6x7 + SFC	11	500	A-galv	RHOL	1570 N/mm ²	core and strands black greased
8136	G1200A607CA	6x7 + SFC	12	540	A-galv	RHOL	1570 N/mm ²	core and strands black greased
7522	G1200A607CA	6x7 + SFC	12	150	A-galv	RHOL	1570 N/mm ²	core and strands black greased
6159	B1200A607DC	6x7 + SFC	12	1.450	Ungalv.	RHLL	1770 N/mm ²	core and strands slightly lubricated
7779	G1200A607CA	6x7 + SFC	12	250	A-galv	RHOL	1570 N/mm ²	core and strands black greased
8137	G1200A607CA	6x7 + SFC	12	500	A-galv	RHOL	1570 N/mm ²	core and strands black greased
6521	G1200A607CA	6x7 + SFC	12	150	A-galv	RHOL	1570 N/mm ²	core and strands black greased

STOCKLIST JULY 2026

<u>Stock Nr.</u>	<u>Code</u>	<u>DESCRIPTION</u>	<u>Diam. in mm</u>	<u>M/Reel</u>	<u>Surface</u>	<u>Lay direction</u>	<u>Tensile strenght</u>	<u>Lubrication</u>
6745	G1200A607CA	6x7 + SFC	12	150	A-galv	RHOL	1570 N/mm ²	core and strands black greased
7213	G1200A607CA	6x7 + SFC	12	260	A-galv	RHOL	1570 N/mm ²	core and strands black greased
5590	G1300A607CA	6x7 + SFC	13	50	A-galv	RHOL	1570 N/mm ²	core and strands black greased
7554	G1300A607CA	6x7 + SFC	13	130	A-galv	RHOL	1570 N/mm ²	core and strands black greased
6238	G1300A607CA	6x7 + SFC	13	190	A-galv	RHOL	1570 N/mm ²	core and strands black greased
8124	G1300A607CA	6x7 + SFC	13	500	A-galv	RHOL	1570 N/mm ²	core and strands black greased
7837	G1300A607CA	6x7 + SFC	13	125	A-galv	RHOL	1570 N/mm ²	core and strands black greased
7775	G1400A607CA	6x7 + SFC	14	350	A-galv	RHOL	1570 N/mm ²	core and strands black greased
7772	G1400A607CA	6x7 + SFC	14	300	A-galv	RHOL	1570 N/mm ²	core and strands black greased
7766	G1500A607CA	6x7 + SFC	15	170	A-galv	RHOL	1570 N/mm ²	core and strands black greased
8113	A0600A607DS	6x7+WSC	6	2740	B-galv	RHOL	1770 N/mm ²	dry
8171	A0600A607DS	6x7+WSC	6	3550	B-galv	RHOL	1960 N/mm ²	dry
7725	A0600A607DS	6x7+WSC	6	700	B-galv	RHOL	1770 N/mm ²	dry
7510	A1800B619DA	6x19S+SFC	18	100	B-galv	RHOL	1770 N/mm ²	dry

STOCKLIST JULY 2026

<u>Stock Nr.</u>	<u>Code</u>	<u>DESCRIPTION</u>	<u>Diam. in mm</u>	<u>M/Reel</u>	<u>Surface</u>	<u>Lay direction</u>	<u>Tensile strenght</u>	<u>Lubrication</u>
7472	G1600B619CA	6x19S+SFC	16	60	A-galv	RHOL	1570 N/mm ²	core and strands black greased
7712	F1600B619EA	6x19S+SFC	16	160	B-galv	RHOL	1960 N/mm ²	core and strands slightly lubricated
7157	B1200B619HA	6x19S+SFC	12	500	Ungalv.	RHOL	1370/1770 N/mm ²	core and strands slightly lubricated
8154	B1100B619HA	6x19S+SFC	11	300	Ungalv.	RHOL	1370/1770 N/mm ²	core and strands slightly lubricated
7747	B1000B619HA	6x19S+SFC	10	280	Ungalv.	RHOL	1370/1770 N/mm ²	core and strands slightly lubricated
7745	B1000B619HB	6x19S+SFC	10	500	Ungalv.	LHOL	1370/1770 N/mm ²	core and strands slightly lubricated
8196	B0900B619HA	6x19S+SFC	9	3.000	Ungalv.	RHOL	1370/1770 N/mm ²	core and strands slightly lubricated
8197	B0900B619HA	6x19S+SFC	9	2.100	Ungalv.	RHOL	1370/1770 N/mm ²	core and strands slightly lubricated
7803	B0800B619EA	6x19S+SFC	8	250	Ungalv.	RHOL	1960 N/mm ²	core and strands slightly lubricated
7821	F0650B619DA	6x19S+SFC	6,5	370	B-galv	RHOL	1770 N/mm ²	dry
8155	A0600B619DA	6x19S+SFC	6	610	B-galv	RHOL	1770 N/mm ²	dry
7661	A0600A619EA	6x19M+SFC	6	250	B-galv	RHOL	1960 N/mm ²	dry
7365	A1000A619DA	6x19M+SFC	10	1.095	B-galv	RHOL	1770 N/mm ²	dry
7432	E1800A619CA	6x19M+SFC	18	530	A-galv	RHOL	1570 N/mm ²	core and strands slightly lubricated
6532	E1800A619CA	6x19M+SFC	18	70	A-galv	RHOL	1570 N/mm ²	core and strands slightly lubricated

STOCKLIST JULY 2026

<u>Stock Nr.</u>	<u>Code</u>	<u>DESCRIPTION</u>	<u>Diam. in mm</u>	<u>M/Reel</u>	<u>Surface</u>	<u>Lay direction</u>	<u>Tensile strenght</u>	<u>Lubrication</u>
6923	E2000A619CA	6x19M+SFC	20	120	A-galv	RHOL	1570 N/mm ²	core and strands slightly lubricated
7680	A2000A619DA	6x19M+SFC	20	360	B-galv	RHOL	1770 N/mm ²	dry
7721	F2200O619IA	6xK19S+SFC	22	100	B-galv	RHOL	1570/1770 N/mm ²	core and strands slightly lubricated
7845	A1400H624EA	6x24 + SFC	14	120	B-galv	RHOL	1960 N/mm ²	dry
7770	REMER619	6x19S+IWRC	8	2.000	Ungalv.	RHOL	1960 N/mm ²	core and strands slightly lubricated
7732	REMER619	6x19S+IWRC	14	500	B-galv	RHOL	1960 N/mm ²	core and strands slightly lubricated
7711	REMER619	6x19S+IWRC	16	500	B-galv	RHOL	1960 N/mm ²	core and strands slightly lubricated
5434	REMER619	6x19S+IWRC	34,93	83	Ungalv.	RHOL	1960 N/mm ²	core and strands black greased
7900	A0700C619EE	6x19W+IWRC	7	1377	B-galv	RHOL	1960 N/mm ²	dry



STOCKLIST JULY 2026

<u>Stock Nr.</u>	<u>Code</u>	<u>DESCRIPTION</u>	<u>Diam. in mm</u>	<u>M/Reel</u>	<u>Surface</u>	<u>Lay direction</u>	<u>Tensile strenght</u>	<u>Lubrication</u>
7659	A1000A619DS	6x19M+IWRC	10	1.000	B-galv	RHOL	1770 N/mm ²	dry
5136	B1600D825DE	6x25F + IWRC	16	100	Ungalv.	RHOL	1770 N/mm ²	core and strands slightly lubricated
6296	F2240D625DE	6x25F + IWRC	22,4	350	B-galv	RHOL	1770 N/mm ²	core and strands slightly lubricated
7392	B2400D825EE	6x25F + IWRC	24	500	Ungalv.	RHOL	1960 N/mm ²	core and strands slightly lubricated
6006	B2000D629DE	6x29F + IWRC 1770 N/mm ²	20	45	Ungalv.	RHOL	1770 N/mm ²	core and strands slightly lubricated
7263	F2200E631DA	6x31WS+SFC	22	350	B-galv	RHOL	1770 N/mm ²	core and strands slightly lubricated
7532	F1800E631FE	6x31WS + IWRC	18	350	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
7728	B2400E631EE	6x31WS + IWRC	24	250	Ungalv.	RHOL	1960 N/mm ²	core and strands slightly lubricated
7730	B2400E631EE	6x31WS + IWRC	24	250	Ungalv.	RHOL	1960 N/mm ²	core and strands slightly lubricated
7727	B2400E631EE	6x31WS + IWRC	24	500	Ungalv.	RHOL	1960 N/mm ²	core and strands slightly lubricated
7731	B2400E631EE	6x31WS + IWRC	24	400	Ungalv.	RHOL	1960 N/mm ²	core and strands slightly lubricated



STOCKLIST JULY 2026

<u>Stock Nr.</u>	<u>Code</u>	<u>DESCRIPTION</u>	<u>Diam. in mm</u>	<u>M/Reel</u>	<u>Surface</u>	<u>Lay direction</u>	<u>Tensile strenght</u>	<u>Lubrication</u>
7729	B2400E631EE	6x31WS + IWRC	24	400	Ungalv.	RHOL	1960 N/mm ²	core and strands slightly lubricated
5190	D2600E631EE	6x31WS + IWRC	26	80	Ungalv.	RHOL	1960 N/mm ²	core and strands black greased
8201	F1800E636EA	6x36WS+SFC	18	100	B-galv	RHOL	1960 N/mm ²	core and strands slightly lubricated
8199	F1600E636EA	6x36WS+SFC	16	200	B-galv	RHOL	1960 N/mm ²	core and strands slightly lubricated
8200	F1600E636EA	6x36WS+SFC	16	100	B-galv	RHOL	1960 N/mm ²	core and strands slightly lubricated
7428	F3200E636DB	6x36WS+SFC	32	314	B-galv	LHOL	1770 N/mm ²	core and strands slightly lubricated
5521	B3200E636DA	6x36WS+SFC	32	70	Ungalv.	RHOL	1770 N/mm ²	core and strands slightly lubricated
6116	B3200E636DB	6x36WS+SFC	32	80	Ungalv.	LHOL	1770 N/mm ²	core and strands slightly lubricated
6983	B3400E636EB	6x36WS+SFC	34	500	Ungalv.	LHOL	1960 N/mm ²	core and strands slightly lubricated
6306	A3400E636EA	6x36WS+SFC	34	170	B-galv	RHOL	1960 N/mm ²	dry
8045	F3600E636EB	6x36WS+SFC	36	90	B-galv	LHOL	1960 N/mm ²	core and strands slightly lubricated
7656	REMER637	6x36WS+IWRC	7	1690	B-galv	RHOL	1960 N/mm ²	core and strands slightly lubricated
7520	REMER637	6x36WS+IWRC	11	435	Ungalv.	RHOL	2160 N/mm ²	core and strands slightly lubricated



STOCKLIST JULY 2026

<u>Stock Nr.</u>	<u>Code</u>	<u>DESCRIPTION</u>	<u>Diam. in mm</u>	<u>M/Reel</u>	<u>Surface</u>	<u>Lay direction</u>	<u>Tensile strenght</u>	<u>Lubrication</u>
8121	REMER637	6x36WS+IWRC	14	2.500	B-galv	RHOL	1960 N/mm ²	dry
8122	REMER637	6x36WS+IWRC	14	2.370	B-galv	RHOL	1960 N/mm ²	dry
8123	REMER637	6x36WS+IWRC	14	2.500	B-galv	RHOL	1960 N/mm ²	dry
8184	REMER637	6x36WS+IWRC	16	1.000	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
8000	REMER637	6x36WS+IWRC	16	42	B-galv	RHOL	2160 N/mm ²	dry
6964	REMER637	6x36WS+IWRC	18	480	Ungalv.	RHOL	1770 N/mm ²	core and strands slightly lubricated
7411	REMER637	6x36WS+IWRC	19	34	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
7543	REMER637	6x36WS+IWRC	19	120	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
6548	REMER637	6x36WS+IWRC	22	534	B-galv	LHOL	1960 N/mm ²	core and strands slightly lubricated
7672	REMER637	6x36WS+IWRC	24	160	Ungalv.	RHOL	1960 N/mm ²	core and strands slightly lubricated
7690	REMER637	6x36WS+IWRC	24	395	B-galv	RHOL	2160 N/mm ²	dry
5596	REMER637	6x36WS+IWRC	26	200	Ungalv.	LHOL	1960 N/mm ²	dry
8052	REMER637	6x36WS+IWRC	32	130	B-galv	RHOL	2160 N/mm ²	dry
8051	REMER637	6x36WS+IWRC	32	50	B-galv	RHOL	2160 N/mm ²	dry
8051	REMER637	6x36WS+IWRC	32	200	B-galv	RHOL	2160 N/mm ²	dry
5414	REMER637	6x36WS+IWRC	36	483	Ungalv.	RHOL	2160 N/mm ²	core and strands slightly lubricated
7975	REMER637	6x36WS+IWRC	38	80	B-galv	RHOL	1770 N/mm ²	core and strands slightly lubricated



STOCKLIST JULY 2026

<u>Stock Nr.</u>	<u>Code</u>	<u>DESCRIPTION</u>	<u>Diam.</u> <u>in mm</u>	<u>M/Reel</u>	<u>Surface</u>	<u>Lay</u> <u>direction</u>	<u>Tensile</u> <u>strenght</u>	<u>Lubrication</u>
8077	REMER637K	6xK36WS+IWRC	19,05	1.750	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
5542	REMER637K	6xK36WS+IWRC	21	25	Ungalv.	RHOL	2160 N/mm ²	core and strands slightly lubricated
8100	REMER637K	6xK36WS+IWRC	25	220	Ungalv.	RHOL	1960 N/mm ²	core and strands slightly lubricated
8102	REMER637K	6xK36WS+IWRC	25	340	Ungalv.	RHOL	1960 N/mm ²	core and strands slightly lubricated
7312	F3200A637DA	6x37M+SFC	32	100	B-galv	RHOL	1770 N/mm ²	core and strands slightly lubricated
7943	A0600A807EE	8x7+IWRC	6	450	B-galv	RHOL	1960 N/mm ²	dry
8188	A0600A807EE	8x7+IWRC	6	350	B-galv	RHOL	1960 N/mm ²	dry
8187	A0600A807EE	8x7+IWRC	6	300	B-galv	RHOL	1960 N/mm ²	dry
8135	A0600A807EE	8x7+IWRC	6	130	B-galv	RHOL	1960 N/mm ²	dry



STOCKLIST JULY 2026

<u>Stock Nr.</u>	<u>Code</u>	<u>DESCRIPTION</u>	<u>Diam. in mm</u>	<u>M/Reel</u>	<u>Surface</u>	<u>Lay direction</u>	<u>Tensile strenght</u>	<u>Lubrication</u>
8182	B0900B819HA	8x19S+SFC	9	5.520	Ungalv.	RHOL	1370/1770 N/mm ²	core and strands slightly lubricated
8138	B0900B819HB	8x19S+SFC	9	445	Ungalv.	LHOL	1370/1770 N/mm ²	core and strands slightly lubricated
7564	B1000B819HA	8x19S+SFC	10	200	Ungalv.	RHOL	1370/1770 N/mm ²	core and strands slightly lubricated
7462	B1200B819HB	8x19S+SFC	12	150	Ungalv.	LHOL	1370/1770 N/mm ²	core and strands slightly lubricated
6686	B1300B819HB	8x19S+SFC	13	121	Ungalv.	LHOL	1370/1770 N/mm ²	core and strands slightly lubricated
8191	B1600B819HA	8x19S+SFC	16	850	Ungalv.	RHOL	1370/1770 N/mm ²	core and strands slightly lubricated
8076	B1600B819HA	8x19S+SFC	16	60	Ungalv.	RHOL	1370/1770 N/mm ²	core and strands slightly lubricated
7784	B1100B819EF	8x19S + IWRC	11	180	Ungalv.	LHOL	1960 N/mm ²	core and strands slightly lubricated
7822	F0800O819FE	8xK19S+IWRC	8	145	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
8069	F1000O819FL	8xK19S + PWRC	10	1.500	B-galv	LHOL	2160 N/mm ²	core and strands slightly lubricated
8068	F1000O819FL	8xK19S+PWRC	10	930	B-galv	LHOL	2160 N/mm ²	core and strands slightly lubricated
7957	F1000O819FL	8xK19S+PWRC	10	1.805	B-galv	LHOL	2160 N/mm ²	core and strands slightly lubricated

STOCKLIST JULY 2026

<u>Stock Nr.</u>	<u>Code</u>	<u>DESCRIPTION</u>	<u>Diam. in mm</u>	<u>M/Reel</u>	<u>Surface</u>	<u>Lay direction</u>	<u>Tensile strenght</u>	<u>Lubrication</u>
8034	A1100O819FL	8xK19S+PWRC	11	380	B-galv	LHOL	2160 N/mm ²	dry
7434	B0800B819HZ	8x25F+PWRC	8	620	Ungalv.	RHOL	1370/1770 N/mm ²	core and strands slightly lubricated
7168	B0800E826EE	8x25F+PWRC	8	1430	Ungalv.	RHOL	1960 N/mm ²	core and strands slightly lubricated
7785	A1600D825FE	8x25F+PWRC	16	136	B-galv	RHOL	2160 N/mm ²	dry
7523	B2200B825EE	8x25F + IWRC	22	512	Ungalv.	RHOL	1960 N/mm ²	core and strands slightly lubricated
8021	F3200Q825EI	8x25F+IWRC	32	220	B-galv	RHOL	1960 N/mm ²	core and strands slightly lubricated
8126	F2600Q825FI	8xK25F-PWRC	26	398	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
8153	F2600Q825FI	8xK25F+PWRC	26	500	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
5086	A3000Q825F7	8xK25F+IWRC	30	170	B-galv	RHLL	2160 N/mm ²	core and strands slightly lubricated
7893	A3000Q825F7	8xK25F+IWRC	30	80	B-galv	RHLL	2160 N/mm ²	core and strands slightly lubricated
7376	F4600R826FO	8x26WS + IWRC	46	930	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated



STOCKLIST JULY 2026

<u>Stock Nr.</u>	<u>Code</u>	<u>DESCRIPTION</u>	<u>Diam.</u> <u>in mm</u>	<u>M/Reel</u>	<u>Surface</u>	<u>Lay</u> <u>direction</u>	<u>Tensile</u> <u>strenght</u>	<u>Lubrication</u>
8063	F2000R726FE	8xK26 WS + IWRC	20	955	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
8064	F2000R726FE	8xK26 WS + IWRC	20	35	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
8065	REMER826KP	8xK26WS+EPIWRC PLASTIFIED CORE	20	1.000	B-galv	LHOL	2160 N/mm ²	core and strands slightly lubricated
7486	REMER826KP	8xK26WS+EPIWRC PLASTIFIED CORE	20	60	Ungalv.	RHOL	2160 N/mm ²	core and strands slightly lubricated
7398	REMER826KP	8xK26WS+EPIWRC PLASTIFIED CORE	20	42	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
8127	REMER826KP	8xK26WS+EPIWRC PLASTIFIED CORE	22	988	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
6728	REMER826KP	8xK26WS+EPIWRC PLASTIFIED CORE	24	20	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
7786	REMER826KP	8xK26WS+EPIWRC PLASTIFIED CORE	24	500	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
7396	REMER826KP	8xK26WS+EPIWRC PLASTIFIED CORE	32	150	Ungalv.	LHOL	2160 N/mm ²	core and strands slightly lubricated
8109	REMER826KP	8xK26WS + EPIWRC PLASTIFIED CORE	32	270	Ungalv.	RHOL	2160 N/mm ²	core and strands slightly lubricated
8108	REMER826KP	8xK26WS + EPIWRC PLASTIFIED CORE	32	283	Ungalv.	RHOL	2160 N/mm ²	core and strands slightly lubricated
8085	I3000R726EF	8xK26 WS + IWRC	30	500	Ungalv.	LHOL	1960 N/mm ²	dry
8084	I3000R726EE	8xK26 WS + IWRC	30	250	Ungalv.	RHOL	1960 N/mm ²	dry
8083	I3000R726EE	8xK26 WS + IWRC	30	220	Ungalv.	RHOL	1960 N/mm ²	dry



STOCKLIST JULY 2026

<u>Stock Nr.</u>	<u>Code</u>	<u>DESCRIPTION</u>	<u>Diam. in mm</u>	<u>M/Reel</u>	<u>Surface</u>	<u>Lay direction</u>	<u>Tensile strenght</u>	<u>Lubrication</u>
6237	F2400E831EE	8x31WS + IWRC	24	60	B-galv	RHOL	1960 N/mm ²	core and strands slightly lubricated
7742	B2000E836EF	8x36WS + IWRC	20	140	Ungalv.	LHOL	1960 N/mm ²	core and strands slightly lubricated
8104	F2600E836EE	8x36WS + IWRC	26	416	B-galv	RHOL	1960 N/mm ²	core and strands slightly lubricated
5795	F3200E836EP	8x36WS + IWRC	32	160	B-galv	LHOL	1960 N/mm ²	core and strands slightly lubricated
5045	B4800E936DO	8x36WS-IWRC	48	29	Ungalv.	RHOL	1770 N/mm ²	core and strands slightly lubricated
7207	B4800E836DF	8x36WS + IWRC	48	157	Ungalv.	LHOL	1770 N/mm ²	core and strands slightly lubricated
5035	B4800E936DF	8x36WS-IWRC	48	15	Ungalv.	LHOL	1770 N/mm ²	core and strands slightly lubricated
7584	F3600R936FO	9x36WS-IWRC	36	355	B-galv	RHOL	2160 N/mm ²	core and strands slightly lubricated
7007	A4500V607DA	Cable laid rope SFC+6x[SFC+6x7]	45	115	B-galv	RHOL	1770 N/mm ²	dry