



## STOCKLIST APRIL 2026

| <u>Stock Nr.</u> | <u>Code</u> | <u>DESCRIPTION</u> | <u>Diam.<br/>in mm</u> | <u>M/Reel</u> | <u>Surface</u> | <u>Lay<br/>direction</u> | <u>Tensile<br/>strenght</u> | <u>Lubrication</u> |
|------------------|-------------|--------------------|------------------------|---------------|----------------|--------------------------|-----------------------------|--------------------|
| 8149             | A0500G107C2 | 1x7                | 5                      | 2000          | B-galv         | RH                       | 1570 N/mm <sup>2</sup>      | dry                |
| 8179             | A0500G107C2 | 1x7                | 5                      | 3015          | B-galv         | RH                       | 1570 N/mm <sup>2</sup>      | dry                |
| 7892             | A0600G107C2 | 1x7                | 6                      | 4500          | B-galv         | RH                       | 1570 N/mm <sup>2</sup>      | dry                |
| 7733             | A0600G107C2 | 1x7                | 6                      | 790           | B-galv         | RH                       | 1570 N/mm <sup>2</sup>      | dry                |
| 7734             | A0600G107C2 | 1x7                | 6                      | 1480          | B-galv         | RH                       | 1570 N/mm <sup>2</sup>      | dry                |
| 5181             | A0660G107C2 | 1x7                | 6,6                    | 1350          | B-galv         | RH                       | 1570 N/mm <sup>2</sup>      | dry                |
| 7581             | A0700G107C2 | 1x7                | 7                      | 500           | B-galv         | RH                       | 1570 N/mm <sup>2</sup>      | dry                |
| 6647             | A0975G107B1 | 1x7                | 9,75                   | 300           | B-galv         | LH                       | 1370 N/mm <sup>2</sup>      | dry                |
| 8190             | M0600G119C2 | 1x19               | 6                      | 680           | AISI 316       | RH                       | 1570 N/mm <sup>2</sup>      | dry                |
| 8140             | A0900G119C1 | 1x19               | 9                      | 2.514         | B-galv         | LH                       | 1570 N/mm <sup>2</sup>      | dry                |
| 8141             | A0900G119C1 | 1x19               | 9                      | 590           | B-galv         | LH                       | 1570 N/mm <sup>2</sup>      | dry                |
| 8142             | A0900G119C1 | 1x19               | 9                      | 1.575         | B-galv         | LH                       | 1570 N/mm <sup>2</sup>      | dry                |
| 8159             | A0950G119C2 | 1x19               | 9,5                    | 1.100         | B-galv         | RH                       | 1570 N/mm <sup>2</sup>      | dry                |
| 8161             | A1000G119C2 | 1x19               | 10                     | 1.000         | B-galv         | RH                       | 1570 N/mm <sup>2</sup>      | dry                |
| 8174             | A1000G119C2 | 1x19               | 10                     | 1.000         | B-galv         | RH                       | 1570 N/mm <sup>2</sup>      | dry                |



## STOCKLIST APRIL 2026

| <u>Stock Nr.</u> | <u>Code</u> | <u>DESCRIPTION</u>      | <u>Diam.<br/>in mm</u> | <u>M/Reel</u> | <u>Surface</u> | <u>Lay<br/>direction</u> | <u>Tensile<br/>strenght</u> | <u>Lubrication</u>                   |
|------------------|-------------|-------------------------|------------------------|---------------|----------------|--------------------------|-----------------------------|--------------------------------------|
| 8181             | A1100G119C2 | 1x19                    | 11                     | 3000          | B-galv         | RH                       | 1570 N/mm <sup>2</sup>      | dry                                  |
| 8163             | A1100G119C2 | 1x19                    | 11                     | 1600          | B-galv         | RH                       | 1570 N/mm <sup>2</sup>      | dry                                  |
| 8115             | A1275G119C2 | 1x19                    | 12,75                  | 252           | B-galv         | RH                       | 1570 N/mm <sup>2</sup>      | dry                                  |
| 8148             | A1275G119C2 | 1x19                    | 12,75                  | 1.050         | B-galv         | RH                       | 1570 N/mm <sup>2</sup>      | dry                                  |
| 7688             | A1400G119D2 | 1x19                    | 14                     | 120           | B-galv         | RH                       | 1770 N/mm <sup>2</sup>      | dry                                  |
| 6038             | A1600G119C2 | 1x19                    | 16                     | 300           | B-galv         | RH                       | 1570 N/mm <sup>2</sup>      | dry                                  |
| 7698             | A1600G119C2 | 1x19                    | 16                     | 1.000         | B-galv         | RH                       | 1570 N/mm <sup>2</sup>      | dry                                  |
| 7540             | A0600G137D2 | 1x37                    | 6                      | 900           | B-galv         | RH                       | 1770 N/mm <sup>2</sup>      | dry                                  |
| 6039             | A1600G137C2 | 1x37                    | 16                     | 950           | B-galv         | RH                       | 1570 N/mm <sup>2</sup>      | dry                                  |
| 7634             | A1800G137C2 | 1x37                    | 18                     | 450           | B-galv         | RH                       | 1570 N/mm <sup>2</sup>      | dry                                  |
| 7663             | A2200G137D2 | 1x37                    | 22                     | 500           | B-galv         | RH                       | 1770 N/mm <sup>2</sup>      | dry                                  |
| 8194             | F030018A7EE | 19x7 ROTATION RESISTANT | 3                      | 10000         | Ungalv         | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8160             | F040018A7EE | 19x7 ROTATION RESISTANT | 4                      | 1190          | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |



## STOCKLIST APRIL 2026

| <u>Stock Nr.</u> | <u>Code</u> | <u>DESCRIPTION</u>      | <u>Diam.<br/>in mm</u> | <u>M/Reel</u> | <u>Surface</u> | <u>Lay<br/>direction</u> | <u>Tensile<br/>strenght</u> | <u>Lubrication</u>                   |
|------------------|-------------|-------------------------|------------------------|---------------|----------------|--------------------------|-----------------------------|--------------------------------------|
| 8048             | F050018A7EE | 19x7 ROTATION RESISTANT | 5                      | 485           | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8162             | F050018A7EE | 19x7 ROTATION RESISTANT | 5                      | 440           | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7847             | A050018A7EF | 19x7 ROTATION RESISTANT | 5                      | 1190          | B-galv         | LHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 7846             | A050018A7EF | 19x7 ROTATION RESISTANT | 5                      | 600           | B-galv         | LHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 8054             | A050018A7EE | 19x7 ROTATION RESISTANT | 5                      | 3000          | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 8186             | A060018A7EF | 19x7 ROTATION RESISTANT | 6                      | 1000          | B-galv         | LHOL                     | 1960 N/mm <sup>2</sup>      | core and strands black greased       |
| 7913             | B060018A7EE | 19x7 ROTATION RESISTANT | 6                      | 1690          | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 7986             | A070018A7EE | 19x7 ROTATION RESISTANT | 7                      | 650           | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands black greased       |
| 7898             | F070018A7EE | 19x7 ROTATION RESISTANT | 7                      | 450           | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7982             | A070018A7EE | 19x7 ROTATION RESISTANT | 7                      | 360           | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 8132             | B070018A7EE | 19x7 ROTATION RESISTANT | 7                      | 1500          | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8170             | B070018A7EE | 19x7 ROTATION RESISTANT | 7                      | 600           | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8130             | B070018A7EE | 19x7 ROTATION RESISTANT | 7                      | 2300          | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7995             | B080018A7EE | 19x7 ROTATION RESISTANT | 8                      | 1000          | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7994             | B080018A7EE | 19x7 ROTATION RESISTANT | 8                      | 2000          | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7993             | B080018A7EE | 19x7 ROTATION RESISTANT | 8                      | 2000          | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7569             | F080018A7FG | 19x7 ROTATION RESISTANT | 8                      | 230           | B-galv         | RHLL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |



## STOCKLIST APRIL 2026

| <u>Stock Nr.</u> | <u>Code</u> | <u>DESCRIPTION</u>       | <u>Diam.<br/>in mm</u> | <u>M/Reel</u> | <u>Surface</u> | <u>Lay<br/>direction</u> | <u>Tensile<br/>strenght</u> | <u>Lubrication</u>                   |
|------------------|-------------|--------------------------|------------------------|---------------|----------------|--------------------------|-----------------------------|--------------------------------------|
| 8185             | F080018A7FG | 19x7 ROTATION RESISTANT  | 8                      | 2300          | B-galv         | RHLL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7881             | F080018N7FG | 19xK7 ROTATION RESISTANT | 8                      | 160           | B-galv         | RHLL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8002             | F080018N7FE | 19xK7 ROTATION RESISTANT | 8                      | 100           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8003             | F080018N7FE | 19xK7 ROTATION RESISTANT | 8                      | 70            | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8178             | F090018N7FS | 19xK7 ROTATION RESISTANT | 9                      | 1.415         | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8177             | F090018N7FS | 19xK7 ROTATION RESISTANT | 9                      | 1.165         | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8058             | F090018N7FS | 19xK7 ROTATION RESISTANT | 9                      | 80            | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8060             | F090018N7FS | 19xK7 ROTATION RESISTANT | 9                      | 110           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7989             | F090018N7FS | 19xK7 ROTATION RESISTANT | 9                      | 403           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7860             | F090018N7FS | 19xK7 ROTATION RESISTANT | 9                      | 240           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8189             | A100018A7EG | 19x7 ROTATION RESISTANT  | 10                     | 400           | B-galv         | RHLL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7514             | A100018A7EF | 19x7 ROTATION RESISTANT  | 10                     | 310           | B-galv         | LHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 8117             | F120018A7EE | 19x7 ROTATION RESISTANT  | 12                     | 500           | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 6696             | F140018A7FE | 19x7 ROTATION RESISTANT  | 14                     | 35            | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7288             | B140018A7EE | 19x7 ROTATION RESISTANT  | 14                     | 3.990         | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7289             | B140018A7EE | 19x7 ROTATION RESISTANT  | 14                     | 1.360         | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7101             | B140018A7EE | 19x7 ROTATION RESISTANT  | 14                     | 220           | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |



## STOCKLIST APRIL 2026

| <u>Stock Nr.</u> | <u>Code</u> | <u>DESCRIPTION</u>           | <u>Diam.<br/>in mm</u> | <u>M/Reel</u> | <u>Surface</u> | <u>Lay<br/>direction</u> | <u>Tensile<br/>strenght</u> | <u>Lubrication</u>                   |
|------------------|-------------|------------------------------|------------------------|---------------|----------------|--------------------------|-----------------------------|--------------------------------------|
| 7756             | A160018A7FE | 19x7 ROTATION RESISTANT      | 16                     | 148           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | dry                                  |
| 6694             | A220018N7FE | 19xK7 ROTATION RESISTANT     | 22                     | 897           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | dry                                  |
| 7983             | REMER357K   | 35(W)xK7 NON ROTATING        | 7                      | 150           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8087             | REMER357K   | 35(W)xK7 NON ROTATING        | 7                      | 673           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8164             | F120034C7FG | 35(W) x 7 NON ROTATING       | 12                     | 2.220         | B-galv         | RHLL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8165             | F120034C7FG | 35(W) x 7 NON ROTATING       | 12                     | 1.012         | B-galv         | RHLL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7476             | F120024C7FA | 24(W) x 7 + SFC NON ROTATING | 12                     | 135           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7665             | F130034C7FG | 35(W) x 7 NON ROTATING       | 13                     | 57            | B-galv         | RHLL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7360             | F130024C7FE | 24(W) x 7 NON ROTATING       | 13                     | 445           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7531             | F140028C7FA | 28(W) x 7 NON ROTATING       | 14                     | 925           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 5925             | REMER357K   | 35(W) x K7 NON ROTATING      | 15                     | 100           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7354             | REMER357K   | 35(W) x K7 NON ROTATING      | 19                     | 500           | B-galv         | LHLL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 6670             | A200034C7FE | 35(W) x 7 NON ROTATING       | 20                     | 750           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | dry                                  |



## STOCKLIST APRIL 2026

| <u>Stock Nr.</u> | <u>Code</u> | <u>DESCRIPTION</u>     | <u>Diam.<br/>in mm</u> | <u>M/Reel</u> | <u>Surface</u> | <u>Lay<br/>direction</u> | <u>Tensile<br/>strenght</u> | <u>Lubrication</u>                   |
|------------------|-------------|------------------------|------------------------|---------------|----------------|--------------------------|-----------------------------|--------------------------------------|
| 7872             | A200034C7FE | 35(W) x 7 NON ROTATING | 20                     | 100           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | dry                                  |
| 6266             | D230034C7FF | 35(W) x 7 NON ROTATING | 23                     | 95            | Ungalv.        | LHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 6822             | B220019N9FE | 19x19 NON ROTATING     | 22                     | 969           | Ungalv.        | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7185             | F0800R436FE | 4xK26WS+IWRC           | 8                      | 235           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 6466             | A0900E436EA | 4xK26WS + SFC          | 9                      | 1.000         | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 7309             | A0650O519EA | 5xK26WS+SFC            | 6,5                    | 1050          | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 7702             | A0800O519EA | 5xK26WS+SFC            | 8                      | 2.300         | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 7827             | A1400R526EA | 5xK26WS+SFC            | 14                     | 1.010         | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 7010             | G0800A606CA | 6x6+SFC                | 8                      | 4.700         | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased       |



## STOCKLIST APRIL 2026

| <u>Stock Nr.</u> | <u>Code</u> | <u>DESCRIPTION</u> | <u>Diam.<br/>in mm</u> | <u>M/Reel</u> | <u>Surface</u> | <u>Lay<br/>direction</u> | <u>Tensile<br/>strenght</u> | <u>Lubrication</u>                   |
|------------------|-------------|--------------------|------------------------|---------------|----------------|--------------------------|-----------------------------|--------------------------------------|
| 6713             | G0800A606CA | 6x6 + SFC          | 8                      | 2.300         | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased       |
| 7014             | G0800A606CA | 6x6 + SFC          | 8                      | 700           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased       |
| 6623             | G0700A607CA | 6x7+SFC            | 7                      | 150           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7305             | G0900A607CA | 6x7+SFC            | 9                      | 205           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased       |
| 7517             | G1000A607CA | 6x7 + SFC          | 10                     | 350           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased       |
| 8120             | G1000A607CA | 6x7 + SFC          | 10                     | 1.000         | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased       |
| 7300             | G1100A607CA | 6x7 + SFC          | 11                     | 140           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased       |
| 7553             | G1100A607CA | 6x7 + SFC          | 11                     | 50            | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased       |
| 7818             | G1100A607CA | 6x7 + SFC          | 11                     | 450           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased       |
| 8125             | G1100A607CA | 6x7 + SFC          | 11                     | 500           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased       |
| 8136             | G1200A607CA | 6x7 + SFC          | 12                     | 540           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased       |
| 7522             | G1200A607CA | 6x7 + SFC          | 12                     | 150           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased       |
| 6159             | B1200A607DC | 6x7 + SFC          | 12                     | 1.450         | Ungalv.        | RHLL                     | 1770 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7779             | G1200A607CA | 6x7 + SFC          | 12                     | 250           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased       |
| 8137             | G1200A607CA | 6x7 + SFC          | 12                     | 500           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased       |

## STOCKLIST APRIL 2026

| <u>Stock Nr.</u> | <u>Code</u> | <u>DESCRIPTION</u> | <u>Diam.<br/>in mm</u> | <u>M/Reel</u> | <u>Surface</u> | <u>Lay<br/>direction</u> | <u>Tensile<br/>strenght</u> | <u>Lubrication</u>             |
|------------------|-------------|--------------------|------------------------|---------------|----------------|--------------------------|-----------------------------|--------------------------------|
| 6521             | G1200A607CA | 6x7 + SFC          | 12                     | 150           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased |
| 6745             | G1200A607CA | 6x7 + SFC          | 12                     | 150           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased |
| 7213             | G1200A607CA | 6x7 + SFC          | 12                     | 260           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased |
| 5590             | G1300A607CA | 6x7 + SFC          | 13                     | 50            | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased |
| 7554             | G1300A607CA | 6x7 + SFC          | 13                     | 130           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased |
| 6238             | G1300A607CA | 6x7 + SFC          | 13                     | 190           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased |
| 8124             | G1300A607CA | 6x7 + SFC          | 13                     | 500           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased |
| 7837             | G1300A607CA | 6x7 + SFC          | 13                     | 125           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased |
| 7775             | G1400A607CA | 6x7 + SFC          | 14                     | 350           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased |
| 7772             | G1400A607CA | 6x7 + SFC          | 14                     | 300           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased |
| 7766             | G1500A607CA | 6x7 + SFC          | 15                     | 170           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased |
| 8113             | A0600A607DS | 6x7+WSC            | 6                      | 2740          | B-galv         | RHOL                     | 1770 N/mm <sup>2</sup>      | dry                            |
| 8171             | A0600A607DS | 6x7+WSC            | 6                      | 3550          | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | dry                            |
| 7725             | A0600A607DS | 6x7+WSC            | 6                      | 700           | B-galv         | RHOL                     | 1770 N/mm <sup>2</sup>      | dry                            |
| 8155             | A0600B619DA | 6x19S+SFC          | 6                      | 610           | B-galv         | RHOL                     | 1770 N/mm <sup>2</sup>      | dry                            |



## STOCKLIST APRIL 2026

| <u>Stock Nr.</u> | <u>Code</u> | <u>DESCRIPTION</u> | <u>Diam.<br/>in mm</u> | <u>M/Reel</u> | <u>Surface</u> | <u>Lay<br/>direction</u> | <u>Tensile<br/>strenght</u> | <u>Lubrication</u>                   |
|------------------|-------------|--------------------|------------------------|---------------|----------------|--------------------------|-----------------------------|--------------------------------------|
| 7821             | F0650B619DA | 6x19S+SFC          | 6,5                    | 370           | B-galv         | RHOL                     | 1770 N/mm <sup>2</sup>      | dry                                  |
| 7803             | B0800B619EA | 6x19S+SFC          | 8                      | 250           | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7747             | B1000B619HA | 6x19S+SFC          | 10                     | 280           | Ungalv.        | RHOL                     | 1370/1770 N/mm <sup>2</sup> | core and strands slightly lubricated |
| 7745             | B1000B619HB | 6x19S+SFC          | 10                     | 500           | Ungalv.        | LHOL                     | 1370/1770 N/mm <sup>2</sup> | core and strands slightly lubricated |
| 8154             | B1100B619HA | 6x19S+SFC          | 11                     | 300           | Ungalv.        | RHOL                     | 1370/1770 N/mm <sup>2</sup> | core and strands slightly lubricated |
| 7157             | B1200B619HA | 6x19S+SFC          | 12                     | 500           | Ungalv.        | RHOL                     | 1370/1770 N/mm <sup>2</sup> | core and strands slightly lubricated |
| 7472             | G1600B619CA | 6x19S+SFC          | 16                     | 60            | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands black greased       |
| 7712             | F1600B619EA | 6x19S+SFC          | 16                     | 160           | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7510             | A1800B619DA | 6x19S+SFC          | 18                     | 100           | B-galv         | RHOL                     | 1770 N/mm <sup>2</sup>      | dry                                  |
| 7661             | A0600A619EA | 6x19M+SFC          | 6                      | 250           | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 7365             | A1000A619DA | 6x19M+SFC          | 10                     | 1.095         | B-galv         | RHOL                     | 1770 N/mm <sup>2</sup>      | dry                                  |
| 7432             | E1800A619CA | 6x19M+SFC          | 18                     | 530           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 6532             | E1800A619CA | 6x19M+SFC          | 18                     | 70            | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 6923             | E2000A619CA | 6x19M+SFC          | 20                     | 120           | A-galv         | RHOL                     | 1570 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7680             | A2000A619DA | 6x19M+SFC          | 20                     | 360           | B-galv         | RHOL                     | 1770 N/mm <sup>2</sup>      | dry                                  |



## STOCKLIST APRIL 2026

| <u>Stock Nr.</u> | <u>Code</u> | <u>DESCRIPTION</u> | <u>Diam.<br/>in mm</u> | <u>M/Reel</u> | <u>Surface</u> | <u>Lay<br/>direction</u> | <u>Tensile<br/>strenght</u> | <u>Lubrication</u>                   |
|------------------|-------------|--------------------|------------------------|---------------|----------------|--------------------------|-----------------------------|--------------------------------------|
| 7721             | F2200O619IA | 6xK19S+SFC         | 22                     | 100           | B-galv         | RHOL                     | 1570/1770 N/mm <sup>2</sup> | core and strands slightly lubricated |
| 7845             | A1400H624EA | 6x24 + SFC         | 14                     | 120           | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 7770             | REMER619    | 6x19S+IWRC         | 8                      | 2.000         | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7732             | REMER619    | 6x19S+IWRC         | 14                     | 500           | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7711             | REMER619    | 6x19S+IWRC         | 16                     | 500           | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 5434             | REMER619    | 6x19S+IWRC         | 34,93                  | 83            | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands black greased       |
| 7900             | A0700C619EE | 6x19W+IWRC         | 7                      | 1377          | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 7659             | A1000A619DS | 6x19M+IWRC         | 10                     | 1.000         | B-galv         | RHOL                     | 1770 N/mm <sup>2</sup>      | dry                                  |



## STOCKLIST APRIL 2026

| <u>Stock Nr.</u> | <u>Code</u> | <u>DESCRIPTION</u>                  | <u>Diam.<br/>in mm</u> | <u>M/Reel</u> | <u>Surface</u> | <u>Lay<br/>direction</u> | <u>Tensile<br/>strenght</u> | <u>Lubrication</u>                   |
|------------------|-------------|-------------------------------------|------------------------|---------------|----------------|--------------------------|-----------------------------|--------------------------------------|
| 5136             | B1600D825DE | 6x25F + IWRC                        | 16                     | 100           | Ungalv.        | RHOL                     | 1770 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 6296             | F2240D625DE | 6x25F + IWRC                        | 22,4                   | 350           | B-galv         | RHOL                     | 1770 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7392             | B2400D825EE | 6x25F + IWRC                        | 24                     | 500           | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 6006             | B2000D629DE | 6x29F + IWRC 1770 N/mm <sup>2</sup> | 20                     | 45            | Ungalv.        | RHOL                     | 1770 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7263             | F2200E631DA | 6x31WS+SFC                          | 22                     | 500           | B-galv         | RHOL                     | 1770 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7532             | F1800E631FE | 6x31WS + IWRC                       | 18                     | 350           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7728             | B2400E631EE | 6x31WS + IWRC                       | 24                     | 250           | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7730             | B2400E631EE | 6x31WS + IWRC                       | 24                     | 250           | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7727             | B2400E631EE | 6x31WS + IWRC                       | 24                     | 500           | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7731             | B2400E631EE | 6x31WS + IWRC                       | 24                     | 400           | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7729             | B2400E631EE | 6x31WS + IWRC                       | 24                     | 400           | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 5190             | D2600E631EE | 6x31WS + IWRC                       | 26                     | 80            | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands black greased       |



## STOCKLIST APRIL 2026

| <u>Stock Nr.</u> | <u>Code</u> | <u>DESCRIPTION</u> | <u>Diam.<br/>in mm</u> | <u>M/Reel</u> | <u>Surface</u> | <u>Lay<br/>direction</u> | <u>Tensile<br/>strenght</u> | <u>Lubrication</u>                   |
|------------------|-------------|--------------------|------------------------|---------------|----------------|--------------------------|-----------------------------|--------------------------------------|
| 7428             | F3200E636DB | 6x36WS+SFC         | 32                     | 314           | B-galv         | LHOL                     | 1770 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 5521             | B3200E636DA | 6x36WS+SFC         | 32                     | 70            | Ungalv.        | RHOL                     | 1770 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 6116             | B3200E636DB | 6x36WS+SFC         | 32                     | 80            | Ungalv.        | LHOL                     | 1770 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 6983             | B3400E636EB | 6x36WS+SFC         | 34                     | 500           | Ungalv.        | LHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 6306             | A3400E636EA | 6x36WS+SFC         | 34                     | 170           | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 8045             | F3600E636EB | 6x36WS+SFC         | 36                     | 90            | B-galv         | LHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7656             | REMER637    | 6x36WS+IWRC        | 7                      | 1690          | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7520             | REMER637    | 6x36WS+IWRC        | 11                     | 585           | Ungalv.        | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7519             | REMER637    | 6x36WS+IWRC        | 11                     | 380           | Ungalv.        | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8121             | REMER637    | 6x36WS+IWRC        | 14                     | 2.500         | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 8122             | REMER637    | 6x36WS+IWRC        | 14                     | 2.370         | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 8123             | REMER637    | 6x36WS+IWRC        | 14                     | 2.500         | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 8184             | REMER637    | 6x36WS+IWRC        | 16                     | 1.000         | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |



## STOCKLIST APRIL 2026

| <u>Stock Nr.</u> | <u>Code</u> | <u>DESCRIPTION</u> | <u>Diam.<br/>in mm</u> | <u>M/Reel</u> | <u>Surface</u> | <u>Lay<br/>direction</u> | <u>Tensile<br/>strenght</u> | <u>Lubrication</u>                   |
|------------------|-------------|--------------------|------------------------|---------------|----------------|--------------------------|-----------------------------|--------------------------------------|
| 8000             | REMER637    | 6x36WS+IWRC        | 16                     | 42            | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | dry                                  |
| 6964             | REMER637    | 6x36WS+IWRC        | 18                     | 480           | Ungalv.        | RHOL                     | 1770 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7411             | REMER637    | 6x36WS+IWRC        | 19                     | 34            | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7543             | REMER637    | 6x36WS+IWRC        | 19                     | 120           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 6548             | REMER637    | 6x36WS+IWRC        | 22                     | 534           | B-galv         | LHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7672             | REMER637    | 6x36WS+IWRC        | 24                     | 160           | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7690             | REMER637    | 6x36WS+IWRC        | 24                     | 395           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | dry                                  |
| 5596             | REMER637    | 6x36WS+IWRC        | 26                     | 200           | Ungalv.        | LHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 8052             | REMER637    | 6x36WS+IWRC        | 32                     | 130           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | dry                                  |
| 8051             | REMER637    | 6x36WS+IWRC        | 32                     | 50            | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | dry                                  |
| 8051             | REMER637    | 6x36WS+IWRC        | 32                     | 200           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | dry                                  |
| 5414             | REMER637    | 6x36WS+IWRC        | 36                     | 483           | Ungalv.        | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7975             | REMER637    | 6x36WS+IWRC        | 38                     | 80            | B-galv         | RHOL                     | 1770 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8077             | REMER637K   | 6xK36WS+IWRC       | 19,05                  | 1.750         | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 5542             | REMER637K   | 6xK36WS+IWRC       | 21                     | 25            | Ungalv.        | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |



## STOCKLIST APRIL 2026

| <u>Stock Nr.</u> | <u>Code</u> | <u>DESCRIPTION</u> | <u>Diam.<br/>in mm</u> | <u>M/Reel</u> | <u>Surface</u> | <u>Lay<br/>direction</u> | <u>Tensile<br/>strenght</u> | <u>Lubrication</u>                   |
|------------------|-------------|--------------------|------------------------|---------------|----------------|--------------------------|-----------------------------|--------------------------------------|
| 8100             | REMER637K   | 6xK36WS+IWRC       | 25                     | 220           | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8102             | REMER637K   | 6xK36WS+IWRC       | 25                     | 340           | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7312             | F3200A637DA | 6x37M+SFC          | 32                     | 100           | B-galv         | RHOL                     | 1770 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7943             | A0600A807EE | 8x7+IWRC           | 6                      | 450           | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 8188             | A0600A807EE | 8x7+IWRC           | 6                      | 350           | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 8187             | A0600A807EE | 8x7+IWRC           | 6                      | 300           | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 8135             | A0600A807EE | 8x7+IWRC           | 6                      | 130           | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 8156             | B0900B819HA | 8x19S+SFC          | 9                      | 8.520         | Ungalv.        | RHOL                     | 1370/1770 N/mm <sup>2</sup> | core and strands slightly lubricated |
| 8138             | B0900B819HB | 8x19S+SFC          | 9                      | 2.700         | Ungalv.        | LHOL                     | 1370/1770 N/mm <sup>2</sup> | core and strands slightly lubricated |
| 7564             | B1000B819HA | 8x19S+SFC          | 10                     | 200           | Ungalv.        | RHOL                     | 1370/1770 N/mm <sup>2</sup> | core and strands slightly lubricated |



## STOCKLIST APRIL 2026

| <u>Stock Nr.</u> | <u>Code</u> | <u>DESCRIPTION</u> | <u>Diam.<br/>in mm</u> | <u>M/Reel</u> | <u>Surface</u> | <u>Lay<br/>direction</u> | <u>Tensile<br/>strenght</u> | <u>Lubrication</u>                   |
|------------------|-------------|--------------------|------------------------|---------------|----------------|--------------------------|-----------------------------|--------------------------------------|
| 8191             | B1200B819HB | 8x19S+SFC          | 12                     | 3.000         | Ungalv.        | RHOL                     | 1370/1770 N/mm <sup>2</sup> | core and strands slightly lubricated |
| 8192             | B1200B819HB | 8x19S+SFC          | 12                     | 2.000         | Ungalv.        | RHOL                     | 1370/1770 N/mm <sup>2</sup> | core and strands slightly lubricated |
| 7462             | B1200B819HB | 8x19S+SFC          | 12                     | 150           | Ungalv.        | LHOL                     | 1370/1770 N/mm <sup>2</sup> | core and strands slightly lubricated |
| 6686             | B1300B819HB | 8x19S+SFC          | 13                     | 121           | Ungalv.        | LHOL                     | 1370/1770 N/mm <sup>2</sup> | core and strands slightly lubricated |
| 8191             | B1600B819HA | 8x19S+SFC          | 16                     | 1.300         | Ungalv.        | RHOL                     | 1370/1770 N/mm <sup>2</sup> | core and strands slightly lubricated |
| 8076             | B1600B819HA | 8x19S+SFC          | 16                     | 60            | Ungalv.        | RHOL                     | 1370/1770 N/mm <sup>2</sup> | core and strands slightly lubricated |
| 7784             | B1100B819EF | 8x19S + IWRC       | 11                     | 180           | Ungalv.        | LHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7822             | F0800O819FE | 8xK19S+IWRC        | 8                      | 145           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8069             | F1000O819FL | 8xK19S + PWRC      | 10                     | 1.500         | B-galv         | LHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8068             | F1000O819FL | 8xK19S+PWRC        | 10                     | 930           | B-galv         | LHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7957             | F1000O819FL | 8xK19S+PWRC        | 10                     | 1.805         | B-galv         | LHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8034             | A1100O819FL | 8xK19S+PWRC        | 11                     | 380           | B-galv         | LHOL                     | 2160 N/mm <sup>2</sup>      | dry                                  |



## STOCKLIST APRIL 2026

| <u>Stock Nr.</u> | <u>Code</u> | <u>DESCRIPTION</u> | <u>Diam.<br/>in mm</u> | <u>M/Reel</u> | <u>Surface</u> | <u>Lay<br/>direction</u> | <u>Tensile<br/>strenght</u> | <u>Lubrication</u>                   |
|------------------|-------------|--------------------|------------------------|---------------|----------------|--------------------------|-----------------------------|--------------------------------------|
| 7434             | B0800B819HZ | 8x25F+PWRC         | 8                      | 620           | Ungalv.        | RHOL                     | 1370/1770 N/mm <sup>2</sup> | core and strands slightly lubricated |
| 7168             | B0800E826EE | 8x25F+PWRC         | 8                      | 1430          | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7785             | A1600D825FE | 8x25F+PWRC         | 16                     | 136           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | dry                                  |
| 7523             | B2200B825EE | 8x25F + IWRC       | 22                     | 512           | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8021             | F3200Q825EI | 8x25F+IWRC         | 32                     | 220           | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8126             | F2600Q825FI | 8xK25F-PWRC        | 26                     | 398           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8153             | F2600Q825FI | 8xK25F+PWRC        | 26                     | 500           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 5086             | A3000Q825F7 | 8xK25F+IWRC        | 30                     | 170           | B-galv         | RHLL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7893             | A3000Q825F7 | 8xK25F+IWRC        | 30                     | 80            | B-galv         | RHLL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7376             | F4600R826FO | 8x26WS + IWRC      | 46                     | 930           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8063             | F2000R726FE | 8xK26 WS + IWRC    | 20                     | 955           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8064             | F2000R726FE | 8xK26 WS + IWRC    | 20                     | 35            | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |



## STOCKLIST APRIL 2026

| <u>Stock Nr.</u> | <u>Code</u> | <u>DESCRIPTION</u>               | <u>Diam.<br/>in mm</u> | <u>M/Reel</u> | <u>Surface</u> | <u>Lay<br/>direction</u> | <u>Tensile<br/>strenght</u> | <u>Lubrication</u>                   |
|------------------|-------------|----------------------------------|------------------------|---------------|----------------|--------------------------|-----------------------------|--------------------------------------|
| 8065             | REMER826KP  | 8xK26WS+EPIWRC PLASTIFIED CORE   | 20                     | 1.000         | B-galv         | LHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7486             | REMER826KP  | 8xK26WS+EPIWRC PLASTIFIED CORE   | 20                     | 60            | Ungalv.        | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7398             | REMER826KP  | 8xK26WS+EPIWRC PLASTIFIED CORE   | 20                     | 42            | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8127             | REMER826KP  | 8xK26WS+EPIWRC PLASTIFIED CORE   | 22                     | 988           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 6728             | REMER826KP  | 8xK26WS+EPIWRC PLASTIFIED CORE   | 24                     | 20            | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7786             | REMER826KP  | 8xK26WS+EPIWRC PLASTIFIED CORE   | 24                     | 500           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7396             | REMER826KP  | 8xK26WS+EPIWRC PLASTIFIED CORE   | 32                     | 150           | Ungalv.        | LHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8109             | REMER826KP  | 8xK26WS + EPIWRC PLASTIFIED CORE | 32                     | 270           | Ungalv.        | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8108             | REMER826KP  | 8xK26WS + EPIWRC PLASTIFIED CORE | 32                     | 283           | Ungalv.        | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8085             | I3000R726EF | 8xK26 WS + IWRC                  | 30                     | 500           | Ungalv.        | LHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 8084             | I3000R726EE | 8xK26 WS + IWRC                  | 30                     | 250           | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 8083             | I3000R726EE | 8xK26 WS + IWRC                  | 30                     | 220           | Ungalv.        | RHOL                     | 1960 N/mm <sup>2</sup>      | dry                                  |
| 6237             | F2400E831EE | 8x31WS + IWRC                    | 24                     | 60            | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |



## STOCKLIST APRIL 2026

| <u>Stock Nr.</u> | <u>Code</u> | <u>DESCRIPTION</u>              | <u>Diam.<br/>in mm</u> | <u>M/Reel</u> | <u>Surface</u> | <u>Lay<br/>direction</u> | <u>Tensile<br/>strenght</u> | <u>Lubrication</u>                   |
|------------------|-------------|---------------------------------|------------------------|---------------|----------------|--------------------------|-----------------------------|--------------------------------------|
| 7742             | B2000E836EF | 8x36WS + IWRC                   | 20                     | 140           | Ungalv.        | LHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 8104             | F2600E836EE | 8x36WS + IWRC                   | 26                     | 1.000         | B-galv         | RHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 5795             | F3200E836EP | 8x36WS + IWRC                   | 32                     | 160           | B-galv         | LHOL                     | 1960 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 5045             | B4800E936DO | 8x36WS-IWRC                     | 48                     | 29            | Ungalv.        | RHOL                     | 1770 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7207             | B4800E836DF | 8x36WS + IWRC                   | 48                     | 157           | Ungalv.        | LHOL                     | 1770 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 5035             | B4800E936DF | 8x36WS-IWRC                     | 48                     | 15            | Ungalv.        | LHOL                     | 1770 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7584             | F3600R936FO | 9x36WS-IWRC                     | 36                     | 355           | B-galv         | RHOL                     | 2160 N/mm <sup>2</sup>      | core and strands slightly lubricated |
| 7007             | A4500V607DA | Cable laid rope SFC+6x[SFC+6x7] | 45                     | 115           | B-galv         | RHOL                     | 1770 N/mm <sup>2</sup>      | dry                                  |